

BIDDER: Tiles In Style LLC

**CONTRACT FOR SUPPLY**

**CONTRACT NO. 12-45-039**



**CARPETING, FURNISH AND INSTALL  
AT VARIOUS COOK COUNTY FACILITIES  
FOR  
COOK COUNTY DEPARTMENT OF FACILITIES MANAGEMENT**

**BOARD OF COMMISSIONERS  
COUNTY OF COOK  
TONI PRECKWINKLE, PRESIDENT**

**A PRE BID MEETING WILL BE HELD ON TUESDAY, JANUARY 31, 2011 AT  
10:00 AM**

**RESPONSES WILL BE DUE ON FRIDAY, FEBRUARY 24, 2012 AT 10:00 A.M.  
LATE RESPONSES WILL NOT BE CONSIDERED  
DELIVER BIDS TO 118 N. CLARK ST., CHICAGO, IL, 60602, ROOM 1018,**

**CONTACT DANIEL GIZZI, SPECIFICATIONS ENGINEER, AT 312-603-6825  
EMAIL [dan.gizzi@cookcountyil.gov](mailto:dan.gizzi@cookcountyil.gov)**

**ISSUED BY THE  
OFFICE OF THE CHIEF PROCUREMENT OFFICER**

SPECIAL CONDITIONS

**GROUP A – Cook County**

**SC-01 SCOPE**

The Contractor shall furnish CARPETING AT VARIOUS COOK COUNTY FACILITIES for COOK COUNTY DEPARTMENT OF FACILITIES MANAGEMENT, all in accordance with the Contract Documents, and Proposal herein

**SC-02 CONTRACT PERIOD**

This is a requirement contract for thirty-six (36) months after award by the Board of Commissioners and after proper execution of the Contract Documents. The contract will consist of a firm price for thirty-six (36) months with a one year mutually agreed upon option.

**SC-03 AWARD OF CONTRACT**

The contract shall be awarded to the lowest responsible and responsive bidder whose bid meets the requirements and criteria set forth in the Request for Sealed Bid for each group. All items, unless otherwise stated, will be assumed to meet all specifications and requirements as set forth in the Request for Sealed Bid for the respective groups. Ambiguous bids which are uncertain as to terms, delivery, quantity, or compliance with specifications may be rejected or declared non-responsive. The County shall be sole determinant of the relevant and appropriate cost factors used in evaluating any Base, Options and/or Alternate bids for Group A and B. Bidders must quote all lines for consideration in Group A or Group B or both. It is the intent of the County to award this bid by group. Only one award will result from Group A or Group B or both.

**Group A – Basis of Award for Cook County**

***Group A is for Cook County and will consist of the Furnishing and Installation of Carpeting. The bid will be awarded to the lowest responsive and responsible bidder that meets the requirements and criteria set forth in the Request. Bidders are required to complete a separate contract with Cook County and adhere to the rules and regulations administered by the Cook County Office of the Chief Procurement Officer. Bidders submitting for Group A must submit the County's Contract in Exhibit "A" and adhere to Cook County's General Conditions and Economic Disclosure Statement.***

**Group B – Basis of Award for the City of Chicago**

***Group B is for the City of Chicago and will consist of Furnishing and Installation of Carpeting. The bid will be awarded to the lowest responsive and responsible bidder that meets the requirements and criteria set forth in the Request. Bidders are required to complete a separate contract with the City of Chicago and adhere to the rules and regulations administered by the City of Chicago's Department of Procurement Services. Bidders submitting for Group B must submit the City of Chicago's Contract in Exhibit "B" and adhere to the City of Chicago's General Conditions and Economic Disclosure Statement.***

**SPECIAL CONDITIONS**

**SC-04 PRE-BID CONFERENCE**

The County will hold a Pre-Bid Conference at the Cook County Building. Representatives from the Purchasing Division and the Juvenile Temporary Detention center of Cook County will comprise the panel to respond to answer any questions regarding and Invitation to Bid procedures. It is not mandatory that the Contractors attend this Pre-Bid Conference, however it is highly recommended. Prospective Proposers must respond to Daniel Gizzi at 312-603-6825 or e-mail [Dan.Gizzi@CookcountyIL.gov](mailto:Dan.Gizzi@CookcountyIL.gov) on or before January 30, 2012, with firm's name and number of attendees. A maximum of two (2) representatives from each firm may attend.

The Pre-Bid Conference visit will be held on:

DATE: January 31, 2012

TIME: 10:00 AM

PLACE: Cook County

Office of the Chief Procurement Officer

118 N. Clark St, Room 1100

Chicago, IL 60602

**SC-05 MBE/WBE REQUIREMENTS FOR THIS CONTRACT**

**The bidder shall have a subcontracting goal of thirty five percent (35%) M/W/BE of the awarded contract price for work to be performed.**

The bidder must comply with the County's MBE/WBE participation requirements. The County has issued MBE/WBE goals this Project. The bidder shall submit with its Proposal, an MBE/WBE Utilization Plan indicating how it proposes to meet these goals. If the bidder has not met the goals or made good faith efforts to meet the goals, the bidder's response will (may) be deemed nonresponsive and will not be considered for award.

Certified MBE/WBE bidders may count their own participation, however, a female firm certified as M/W/BE or W/MBE may be counted towards the MBE or WBE goal, but not both. (Designations cannot be changed after submission of the compliance plan.)

Unless otherwise specified in the Bid Documents, for purposes of this contract, the contract amount is the total bid amount that has been entered on the Proposal Page of the Bid Documents.

SPECIAL CONDITIONS

**SC-06      INQUIRIES**

A copy of any written request for interpretation of documents shall be provided to the Office of Chief Procurement Officer at the address set forth below.

Inquiries about the interpretation of the Specifications must be made only in writing and shall be directed to the Chief Procurement Officer. Inquiries will be answered in writing, if deemed necessary, by means of an Addendum issued by the Office of the Chief Procurement Officer. (Reference Instructions to Bidders, Section IB-04 "Exceptions", Page IB-2). **Inquiries must be received no later than 12:00 p.m. (noon) on February 3, 2012. Inquiries will be answered by the close of business February 10, 2012.** During the bid process, all inquiries must be directed, in writing to the Office of the Cook County Chief Procurement Officer, as follows:

Maria de Lourdes Coss, CPPO  
Cook County Chief Procurement Officer  
c/o Daniel Gizzi  
118 N. Clark Street, Room 1018  
Chicago, IL 60602

Or email at [dan.gizzi@cookcountyil.gov](mailto:dan.gizzi@cookcountyil.gov).

SPECIAL CONDITIONS

**SC-07 RENEWALS/PRICE ADJUSTMENT**

All prices quoted in the Bid Proposal shall be firm and will not be subject to increase during the first twenty-four months of the Contract. Thereafter either the Contractor or the County shall be entitled to request an annual price adjustment which shall be calculated in the manner provided for in this section. The request for a price adjustment by the Contractor shall be submitted to the Office of the Chief Procurement Officer of Cook County within sixty (60) days after the end of the contract's twenty-four (24) month term. The County shall notify the Contractor of its request for price adjustment within the same time period.

Price adjustments shall be based upon the Index for Commodities less food and beverages, for all Urban Consumers for United States City Average, of the Producer Price Index, as published by the United States Department of Labor, Bureau of Labor Statistics.

The price increase or decrease will be determined by dividing the current index for a contract anniversary month by the same prior year, month's index. All calculations will be carried to three (3) places ONLY, with no rounding off to the next digit. Price increases/decreases shall not exceed three percent (3%) annually from one adjustment period to the next.

**EXAMPLE:**

\$0.855	=	Current Item Price
140.10	=	Current Index (Anniversary Month)
138.92	=	Last Year Month Index

PERCENTAGE INCREASE: 2.60%

$1.02 \times \$0.85 = \$0.872$

$\$0.872 = \text{New Cost per Item}$

This formula shall be the basis for determining the cost per item for the term of any extension or contract renewal which may be mutually agreed upon.

**SC-08 DELIVERY TIMES AND LOCATIONS**

**Group A**

Carpeting shall be delivered to Contractor's facility from Manufacturer and shall be F.O.B. Destination to County. Contractor will then make all deliveries, as needed for installation, at the following locations:

D.O.C. COMPLEX  
2650 S. CALIFORNIA AVE.  
CHICAGO, IL 60608

COOK COUNTY POWERHOUSE  
3045 SACRAMENTO AVE.  
CHICAGO, IL 60623

FORENSIC INSTITUTE  
2121 W. HARRISON STREET  
CHICAGO, IL 60647

JUVENILE DETENTION CENTER  
2245 W. HARRISON AVE.  
CHICAGO, IL 60612

COUNTY WAREHOUSE  
2323 S. ROCKWELL AVE.  
CHICAGO, IL 60608

1<sup>ST</sup> DISTRICT COURTHOUSE  
555 W. HARRISON STREET  
CHICAGO, IL 60605

2<sup>ND</sup> DISTRICT COURTHOUSE  
5600 OLD ORCHARD ROAD  
SKOKIE, IL. 60076

3<sup>RD</sup> DISTRICT COURTHOUSE  
2121 EUCLID AVE.  
ROLLING MEADOWS, IL 60008

4<sup>TH</sup> DISTRICT COURTHOUSE  
1500 S. MAYBROOK DRIVE  
MAYWOOD, IL 60153

5<sup>TH</sup> DISTRICT COURTHOUSE  
10220 SOUTH 76<sup>TH</sup> AVE.  
BRIDGEVIEW, IL 60453

6<sup>TH</sup> DISTRICT COURTHOUSE  
16501 s KEDZIE PARKWAY  
MARKHAM, IL. 60426

HAWTHORNE WAREHOUSE  
4545 WEST CERMAK ROAD  
CHICAGO, IL 60623

**SC-09 PREVAILING WAGE**

During the full term of this contract, Contractor agrees to abide by all payment wages as set forth by Section 2 of the "Prevailing Wage Act-Illinois Revised Statutes Chapter 48, Paragraph 395-1 et.seq. By submitting a bid proposal Bidder acknowledges:

- (a) The Labor Standards regarding the payment of prevailing wage in accordance with Section 2 of the Prevailing Wage Act-Illinois revised Statutes Chapter 48, Paragraph 395-1 et.seq.
- (b) Correction of any infractions of the aforesaid conditions, including infractions by any subcontractor and any lower tier subcontractors are the sole responsibility of the bidding Contractor.
- (c) The Contractor further agrees to certify that it is the Contractor's responsibility to monitor, adjust and pay the most recent published prevailing wage rate as defined by the 'Prevailing Wage Act-Illinois Revised Statutes.
- (d) By submitting this bid proposal, and during the course of this contract, the Bidder certifies that the

wages paid to its employees and fringe benefits and working conditions of such employees are not less than favorable than those prevailing in the local in which the contracts are to be performed.

Reference Page SC-4-5 for most current scale of the Illinois Department of Labor Prevailing Wages for Cook County, which is to be posted by the Contractor.

**Cook County Prevailing Wage for December 2011**

Trade Name	RG	TYP	C	Base	FRMAN	*M-F>8	OSA	OSH	H/W	Pensn	Vac	Trng
ASBESTOS ABT-GEN	ALL			35.200	35.700	1.5	1.5	2.0	12.18	8.820	0.000	0.450
ASBESTOS ABT-MEC	BLD			32.850	0.000	1.5	1.5	2.0	10.82	10.66	0.000	0.720
BOILERMAKER	BLD			43.020	46.890	2.0	2.0	2.0	6.720	9.890	0.000	0.350
BRICK MASON	BLD			39.780	43.760	1.5	1.5	2.0	9.300	11.17	0.000	0.730
CARPENTER	ALL			40.770	42.770	1.5	1.5	2.0	12.34	11.25	0.000	0.530
CEMENT MASON	ALL			41.850	43.850	2.0	1.5	2.0	10.70	10.76	0.000	0.320
CERAMIC TILE FNSHER	BLD			33.600	0.000	2.0	1.5	2.0	9.200	6.680	0.000	0.580
COMM. ELECT.	BLD			36.440	38.940	1.5	1.5	2.0	8.420	8.910	0.000	0.700
ELECTRIC PWR EQMT OP	ALL			41.850	46.850	1.5	1.5	2.0	10.27	13.01	0.000	0.320
ELECTRIC PWR GRNDMAN	ALL			32.640	46.850	1.5	1.5	2.0	8.000	10.12	0.000	0.240
ELECTRIC PWR LINEMAN	ALL			41.850	46.850	1.5	1.5	2.0	10.27	13.01	0.000	0.320
ELECTRICIAN	ALL			40.400	43.000	1.5	1.5	2.0	13.83	7.420	0.000	0.750
ELEVATOR CONSTRUCTOR	BLD			47.410	53.340	2.0	2.0	2.0	10.53	10.71	2.840	0.000
FENCE ERECTOR	ALL			32.660	34.660	1.5	1.5	2.0	12.42	10.00	0.000	0.250
GLAZIER	BLD			38.000	39.500	1.5	2.0	2.0	10.19	13.64	0.000	0.790
HT/FROST INSULATOR	BLD			43.800	46.300	1.5	1.5	2.0	10.82	11.86	0.000	0.720
IRON WORKER	ALL			40.750	42.750	2.0	2.0	2.0	13.20	19.09	0.000	0.350
LABORER	ALL			35.200	35.950	1.5	1.5	2.0	12.18	8.820	0.000	0.450
LATHER	ALL			40.770	42.770	1.5	1.5	2.0	12.34	11.25	0.000	0.530
MACHINIST	BLD			43.160	45.160	1.5	1.5	2.0	7.980	8.950	0.000	0.000
MARBLE FINISHERS	ALL			29.100	0.000	1.5	1.5	2.0	9.300	11.17	0.000	0.660
MARBLE MASON	BLD			39.030	42.930	1.5	1.5	2.0	9.300	11.17	0.000	0.730
MATERIAL TESTER I	ALL			25.200	0.000	1.5	1.5	2.0	12.18	8.820	0.000	0.450
MATERIALS TESTER II	ALL			30.200	0.000	1.5	1.5	2.0	12.18	8.820	0.000	0.450
MILLWRIGHT	ALL			40.770	42.770	1.5	1.5	2.0	12.34	11.25	0.000	0.530
OPERATING ENGINEER	BLD 1			45.100	49.100	2.0	2.0	2.0	14.40	9.550	1.900	1.250
OPERATING ENGINEER	BLD 2			43.800	49.100	2.0	2.0	2.0	14.40	9.550	1.900	1.250
OPERATING ENGINEER	BLD 3			41.250	49.100	2.0	2.0	2.0	14.40	9.550	1.900	1.250
OPERATING ENGINEER	BLD 4			39.500	49.100	2.0	2.0	2.0	14.40	9.550	1.900	1.250
OPERATING ENGINEER	BLD 5			48.850	49.100	2.0	2.0	2.0	14.40	9.550	1.900	1.250
OPERATING ENGINEER	BLD 6			46.100	49.100	2.0	2.0	2.0	14.40	9.550	1.900	1.250
OPERATING ENGINEER	BLD 7			48.100	49.100	2.0	2.0	2.0	14.40	9.550	1.900	1.250
OPERATING ENGINEER	FLT 1			51.300	51.300	1.5	1.5	2.0	11.70	8.050	1.900	1.150
OPERATING ENGINEER	FLT 2			49.800	51.300	1.5	1.5	2.0	11.70	8.050	1.900	1.150
OPERATING ENGINEER	FLT 3			44.350	51.300	1.5	1.5	2.0	11.70	8.050	1.900	1.150
OPERATING ENGINEER	FLT 4			36.850	51.300	1.5	1.5	2.0	11.70	8.050	1.900	1.150
OPERATING ENGINEER	HWY 1			43.300	47.300	1.5	1.5	2.0	14.40	9.550	1.900	1.250
OPERATING ENGINEER	HWY 2			42.750	47.300	1.5	1.5	2.0	14.40	9.550	1.900	1.250
OPERATING ENGINEER	HWY 3			40.700	47.300	1.5	1.5	2.0	14.40	9.550	1.900	1.250
OPERATING ENGINEER	HWY 4			39.300	47.300	1.5	1.5	2.0	14.40	9.550	1.900	1.250
OPERATING ENGINEER	HWY 5			38.100	47.300	1.5	1.5	2.0	14.40	9.550	1.900	1.250
OPERATING ENGINEER	HWY 6			46.300	47.300	1.5	1.5	2.0	14.40	9.550	1.900	1.250
OPERATING ENGINEER	HWY 7			44.300	47.300	1.5	1.5	2.0	14.40	9.550	1.900	1.250
ORNAMNTL IRON WORKER	ALL			40.200	42.450	2.0	2.0	2.0	12.67	14.81	0.000	0.500
PAINTER	ALL			38.000	42.750	1.5	1.5	1.5	9.750	11.10	0.000	0.770
PAINTER SIGNS	BLD			32.770	36.800	1.5	1.5	1.5	2.600	2.620	0.000	0.000
PILEDRIVER	ALL			40.770	42.770	1.5	1.5	2.0	12.34	11.25	0.000	0.530
PIPEFITTER	BLD			44.050	47.050	1.5	1.5	2.0	8.460	13.85	0.000	1.820
PLASTERER	BLD			39.250	41.610	1.5	1.5	2.0	10.60	10.69	0.000	0.550
PLUMBER	BLD			44.750	46.750	1.5	1.5	2.0	11.59	9.060	0.000	0.780
ROOFER	BLD			37.650	40.650	1.5	1.5	2.0	7.750	6.570	0.000	0.430
SHEETMETAL WORKER	BLD			40.460	43.700	1.5	1.5	2.0	9.830	16.25	0.000	0.630
SIGN HANGER	BLD			28.960	29.810	1.5	1.5	2.0	4.700	2.880	0.000	0.000

Contract No: 12-45-039

SPRINKLER FITTER	BLD	49.200	51.200	1.5	1.5	2.0	9.250	8.050	0.000	0.450
STEEL ERECTOR	ALL	40.750	42.750	2.0	2.0	2.0	13.20	19.09	0.000	0.350
STONE MASON	BLD	39.780	43.760	1.5	1.5	2.0	9.300	11.17	0.000	0.730
TERRAZZO FINISHER	BLD	35.150	0.000	1.5	1.5	2.0	9.200	9.070	0.000	0.430
TERRAZZO MASON	BLD	39.010	42.010	1.5	1.5	2.0	9.200	10.41	0.000	0.510
TILE MASON	BLD	40.490	44.490	2.0	1.5	2.0	9.200	8.390	0.000	0.640
TRAFFIC SAFETY WRKR	HWY	28.250	29.850	1.5	1.5	2.0	4.896	4.175	0.000	0.000
TRUCK DRIVER	E ALL 1	30.700	31.350	1.5	1.5	2.0	6.750	5.450	0.000	0.150
TRUCK DRIVER	E ALL 2	30.950	31.350	1.5	1.5	2.0	6.750	5.450	0.000	0.150
TRUCK DRIVER	E ALL 3	31.150	31.350	1.5	1.5	2.0	6.750	5.450	0.000	0.150
TRUCK DRIVER	E ALL 4	31.350	31.350	1.5	1.5	2.0	6.750	5.450	0.000	0.150
TRUCK DRIVER	W ALL 1	32.550	33.100	1.5	1.5	2.0	6.500	4.350	0.000	0.000
TRUCK DRIVER	W ALL 2	32.700	33.100	1.5	1.5	2.0	6.500	4.350	0.000	0.000
TRUCK DRIVER	W ALL 3	32.900	33.100	1.5	1.5	2.0	6.500	4.350	0.000	0.000
TRUCK DRIVER	W ALL 4	33.100	33.100	1.5	1.5	2.0	6.500	4.350	0.000	0.000
TUCK POINTER	BLD	39.950	40.950	1.5	1.5	2.0	8.180	10.57	0.000	0.790

Legend:

M-F>8 (Overtime is required for any hour greater than 8 worked each day, Monday through Friday.)

OSA (Overtime is required for every hour worked on Saturday)

OSH (Overtime is required for every hour worked on Sunday and Holidays)

H/W (Health & Welfare Insurance) Pensn (Pension), Vac (Vacation), Trng (Training)

### **SC-10 NOTIFICATION**

Do not deliver until notified by Using Department.

### **SC-11 CLEAN-UP & RUBBISH**

Contractor shall at all times keep the premises free from accumulation of waste materials and rubbish caused by their employees of work, and at the completion of any work, they shall remove all tools, crates, boxes and other debris and shall leave the premises in a clean and orderly manner.

### **SC-12 SHIPPING**

All products must be undamaged and wrapped in whole.

### **SC-13 ESTIMATED QUANTITIES**

The quantities specified in this document are estimates only and are not guaranteed to be consumed during the contract period. Any unused portion of these items shall be considered unnecessary and be removed from the Purchase Order. Any additional quantities needed on any item must be approved in writing by the County in the form of a change order prior to the commencement of any additional work being performed. The County is not responsible for payment of any additional work not pre-approved in writing. The Contractor is not obligated or required to perform any additional work without said written approval.

The County is exempt from all sales and excise taxes.

SPECIAL CONDITIONS

**SC-14 COOPERATIVE PURCHASING**

As permitted by the County of Cook, other government entities may wish to also participate under the same terms and conditions contained in this contract (piggyback). Each entity wishing to piggyback must have prior authorization from the County of Cook and vendor. If such participation is authorized, all purchase orders will be issued directly from and shipped directly to the entity requiring supplies/services. The County shall not be held responsible for any orders placed, deliveries made or payment for supplies/services ordered by these entities. Each entity reserves the right to determine their participation in this contract.

**SC-15 TRANSPORTATION CHARGES:**

All goods shall be delivered FOB DESTINATION for all orders when shipped to a single destination. Orders for less than the **minimum order (500 yards)** will be shipped prepaid, with transportation charges added to the invoice as a separate item. Transportation charges levied by the contractor for orders equal to, or greater than the **minimum order**, when shipped to a single destination, may be cause for removal of the contractor from the contract. In instances where the contractor makes partial shipments of an order to one destination which is equal to, or greater than, the **minimum order**, all shipments of the order shall be sent FOB DELIVERED. NO additional transportation charges.

**SC-16 PRODUCT RECALL:**

In submitting this bid, bidder expressly assumes full responsibility for prompt notification of any product recall in accordance with the applicable state or federal regulations. Said recall(s) to be sent to users and to the contract administrator noted herein.

**SC-17 PROJECT TIMELINE**

<b><u>ACTIVITY</u></b>	<b><u>DATE</u></b>
Bidders Register to Attend the Pre-Bid Conference	January 30, 2012
Pre-Bid Conference Meeting	January 31, 2012
Questions Due From Bidders	February 3, 2012
Addendum Issued	February 10, 2012
Bids due	February 24, 2012

**SC-18 RETURNED GOOD/RESTOCKING**

With the assumption that the successful bidder is not at fault, Cook County will return carpet products within thirty (30) days of the original shipment with no cancellation fee or restocking fee. If the Successful bidder is not at fault Cook County will be responsible for all shipping charges. Custom orders will be non-cancellable after 72 hours. If the Successful Bidder is at fault, no shipping, cancellation, or re-stocking charges will apply to the orders placed by Cook County. Returns must be picked up by bidder from the Cook County location within seven (7) business days of the request for a return authorization number. Refunds will be issued in the form the original payment was received. A refund shall be processed approximately 4 days from the time the carpet is back in the warehouse.

**SC-19 ASBESTOS ABATEMENT**

Asbestos abatement shall be the responsibility of Cook County. If the contractor suspects that Asbestos is present, the contractor is to notify a Cook County representative so corrective action can take place.

**SPECIAL CONDITIONS**

**SC-20 BRITISH SPILL TEST COMPLIANCE**

The British Spill Test will be an "add-on" element and should be noted in the pricing schedule. If the commercial carpet that the bidder is proposing meets the British Spill Test, and no up-charge is applicable, please note that the per square yard carpet price includes this requirement.

**SC-21 RIGHT TO INSPECT**

Cook County reserves the right to inspect and investigate thoroughly the establishment, facilities, equipment, business reputation, and other qualifications of the Bidder and any proposed Subcontractors and to reject any Bid irrespective of price if it shall be administratively determined that the Bidder is deficient in any of the essentials necessary to assure acceptable standards of performance. The IPHEC reserves the right to continue this inspection procedure throughout the life of the Contract that may arise from this Invitation for Sealed Bid.

**SC-22 CONTRACTOR'S EQUIPMENT**

Prior to completion of installations and acceptance by Cook County the contractor shall be fully responsible for his or her own tools and equipment as well as any carpeting or underlayment, if stored on Cook County property.

**SC-23 SAMPLE REQUEST**

For evaluation purposes, the bidder must furnish and deliver upon the buyer's request sample(s) of the proposed items and/or materials within seven (7) working days from receipt of notice. All samples must be tagged or labeled with the company's name, address and bid number. Failure to furnish requested sample(s), as well as failure to provide sample(s) within this time period will be cause for rejection of the bid, and for being nonresponsive to this requirement.

The cost to furnish, deliver and return the sample(s) will be borne by the bidder. Cook County will not be liable for the condition of the samples, if the bidder requests return of the samples.

**SC-24 FIELD DIMENSIONS**

Prior to commencement of installation, the successful bidder shall take all required field dimensions at the site, and verify all field conditions.

**SC-25 CONTRACTOR'S QUALIFICATIONS**

Contractor must be currently and regularly engaged in the installation of various floor covering materials specified in these Detailed Specifications in commercial/office/industrial settings.

The Contractor shall have substantial experience in the installation and maintenance of floor covering projects similar in size, scope and complexity as specified herein. The Contractor shall have sufficient workforce consisting of skilled tradesman to perform each project in a timely fashion. The Contractor shall submit with its bid a list of at least five (5) projects completed in the past, including the name of a contact person, size, scope and total cost of each project. The Contractor shall submit resumes of its supervisor(s), foremen, with its bid to the Cook County.

SPECIAL CONDITIONS

**SC-26      GUARANTEE FOR INSTALLED WORK**

All Work furnished by the Contractor under this Contract, must be guaranteed against defective materials and workmanship, improper performance and non-compliance with the specifications for a minimum period of one (1) year from the date of completion and acceptance by Cook County. During the warranty period, the Contractor must repair and replace defective materials and workmanship for a period of one (1) year from the date of final completion at no costs to Cook County when so directed by the Chief Procurement Officer.

In instances when the purchase is for materials only (no installation), the Contractor must provide a minimum one (1) year guarantee or material manufacturer's minimum guarantee, whichever is greater.

The Contractor must ensure all required Manufacturer's materials warranties for period, set forth by each manufacturer, which may originate, in part or whole, with the manufacturer or the fabricator must pass through the Contractor to the Using Department. The Contractor must ensure that all applicable manufacturers' warranty forms have been completed in the County's department name and registered with the appropriate manufacturers.

SPECIFICATIONS

**GROUP A – COOK COUNTY**

**ITEM NO. 1-6: GENERAL SPECIFICATIONS FOR CARPETING & VINYL BASE**

**A. DESCRIPTION OF WORK:**

The Contractor shall supply all labor, material and supplies to complete the removal of existing carpeting, and then install approximately 24,000 square yards of carpeting and 16,000 linear feet of vinyl base. The actual yardage, linear feet, labor hours and underlayment concrete for each installation project is to be field verified by the Contractor, and submitted in writing to the Department of Facilities Management for approval prior to commencement of work on that project.

Carpet shall be installed **on an as-needed basis** during a twenty-four (24) hour period at the Cook County locations.

Carpeting shall be ordered upon receipt of color specification and purchase order with storage at Contractor's site and risk in a bonded insured warehouse.

Carpeting is defined as the inclusion of new carpet, base and accessories.

All work shall be performed **after normal business hours** and shall be coordinated with the Director or his designee.

Contractor shall be responsible for the moving of all furniture prior to and after installation of the carpet. It is the intent of this contract to keep all operations in business during the installation period. Therefore, furniture shall be removed and replaced at the end of the workday.

**B. PRODUCT DELIVERY AND STORAGE:**

Should installation be delayed due to Cook County scheduling, storage will be at no extra charge. A copy of the mill's packing slip or delivery ticket must be provided if payment for carpet only if requested due to a County caused delay. Store inside, in a well ventilated area, protected from weather, moisture and soiling. When required, deliver carpeting materials in original mill protective wrapping with mill register numbers and tags attached to any specified County owned facility

Include listing of mill register numbers for carpet when furnished.

**C. JOB CONDITIONS:**

Environmental Conditions:

Verify temperatures in the space are in accordance with carpet or adhesive manufacturer's recommendations, but in no case less than 60 degrees F for 24 hours prior to, during and after installation. Subfloor temperature should be a minimum 60 degrees F for 24 hours prior to and after installation. Report any discrepancies to Owner.

Precondition:

Whenever possible, all of the carpet shall be spread in a room on-site 24 hours prior to actual installation with the room preconditioned at a minimum of 60 degrees F with humidity between 35% to 65%.

**SPECIFICATIONS**

**D. SEAMING REQUIREMENT:**

**General:**

In addition to the requirements and recommendations of the Carpet Manufacturer, the following criteria shall be adhered to:

1. Seaming layout shall enable future replacement, especially in large open areas and traffic paths. Seaming shall run parallel to major traffic flow whenever possible, unless specifically indicated in writing by owner or owner's representative.
2. No cross seams shall be allowed in drops of 10 feet or less. Seams shall be inconspicuous to visual inspection. No seams shall occur perpendicular to doors or entries. Seams occurring at doors, parallel to doors, shall be centered directly under the closed door.
3. No carpet pieces less than 12 inches in width shall be used in the work.
4. All cutting of carpet for telephone and electrical outlets shall be the responsibility of the Flooring Contractor

**E. PRE-INSTALLATION REQUIREMENTS:**

Contractor must provide personnel to field survey conditions and provide total yardage requirements, upon request. Contractor shall be totally responsible to verify all dimensions and site conditions, order sufficient yardage to fully carpet areas as indicated. All carpet of the same type in a continuous area shall be from the same dye lot.

Contractor must examine substrates from moisture content and other conditions under which carpeting is to be installed. Repair minor holes, cracks, depressions or rough areas using material recommended by carpet or adhesive manufacturer. Notify owner in writing of conditions detrimental to proper completion of the work. Do not proceed until unsatisfactory conditions have been corrected.

Install and examine all walls in work area for defects. All defects must be noted, with a written report provided to the County. If no report is received, the County will assume that all walls were free of defects at the beginning of installation. All walls, which are marred during the installation process, will be repaired and the cost to repair such marring will be deducted from the Contractor's invoice.

Clear away debris and scrape up cementation deposits from surfaces to receive carpeting; vacuum clean immediately before installation. Check concrete surfaces to ensure no "dusting" through installed carpet; apply sealer where required to prevent dusting.

Remove all furniture from the work area. All telephones, faxes, personal computers and peripherals shall be disconnected and labeled by County personnel, however the Contractor shall remove and replace it from the work area. The County shall also be responsible for the disconnection of all electrical devices such as wired modular panel partitions, dog houses and covers.

Apply a coat of Everseal, as per manufacturer recommendations.

SPECIFICATIONS

**F. INSTALLATION:**

General:

Comply with manufacturer's instructions and recommendations for seam locations and direction of carpet; maintain uniformity of direction and lay of pile. At doors, center seams under doors; do not place seams in traffic direction at doorways.

Extend carpet under open bottomed obstructions and under removable flanges and furnishings, and into alcoves and closets of each space.

Provide cutouts where required, and bid cut edges properly where not concealed by protective edge guards or overlapping flanges.

Install carpet edge guard where edge of carpet is exposed; anchor guards to substrate.

Expansion Joints: Do not bridge building expansion joints with continuous carpeting, provide for movement.

**G. GLUE DOWN CARPET INSTALLATION**

Install carpeting in accordance with manufacturer's recommendations.

Floor to receive carpet shall be cleaned of all grease, wax, oil or dirt. Holes, cracks and low spots shall be filled-in with latex underlayment. All surfaces shall be even, smooth and completely dry. Carpet shall not be installed where there is excessive moisture present, nor when temperature is less than 50 degrees Fahrenheit.

Installation of carpet shall be with all rows of yarn running in the same direction on a floor, except where otherwise specifically required. The Contractor shall submit a seaming layout for review. Side to end seaming will not be permitted.

Installation is subject to review of shop drawings and manufacturer's printed instructions and recommendations. The carpet shall be installed around all floor outlets or similar obstructions. All electrical or mechanical plates where used shall rest on the top surface of the carpet.

All other obstructions that may occur shall be reported prior to any work or fabrication. There shall be no exposed floor area, such as under convector units, at columns or at walls when they occur within spaces to be carpeted.

The first seam shall be carefully marked on the floor, straight and true, and carpet shall be fit before cement is applied, using the first seam mark as a guide.

All junctures shall be checked for differences in shading and pile height.

All carpet adhesive shall be applied with a trowel with 1/16 inch x 1/16 notches on 3/32 inch centers.

Seams shall be checked for evenness of pile height, any unevenness shall be adjusted by latex cement underlayment. Pile trapped in seams shall be raised with a knife point or other suitable instrument.

All adhesive shall be cleaned up promptly using the manufacturer's recommended solvent.

At the junctions of the carpet and rubber stripping any variations shall be compensated for by beveling rubber

back or feathering the floor with latex cement underlayment.

**SPECIFICATIONS**

**H. BASE INSTALLATION:**

Install resilient base in accordance with the manufacturer's recommendations, unless otherwise specified.

Mix and apply adhesive as recommended by the manufacturer. Cover surface evenly. Maximum working area shall not be exceeded. Install base within time limits recommended. If adhesive films over, or dries, remove the adhesive and recoat the area.

Firmly adhere resilient base to walls and permanent bases. Use longest lengths practical. Form internal and external corners and end stops with performed units. Corners may not be hand formed. Mitered corners shall not be used. Scribe bases accurately to abutting surfaces.

Remove any excessive adhesive in accordance with flooring manufacturer's instructions.

**I. CLEANING AND PROTECTION:**

Remove debris, sorting pieces to be saved from scrapes to be disposed of.

Vacuum the carpet using two motor, top loading, upright commercial machine with brush-only element, utilizing a high filtration dust bag. Remove spots in accordance with carpet manufacturer's guidelines and replace carpet where spots cannot be removed. Remove any protruding face yarn using sharp scissors. Be certain to trim any loose yarns or fibers at all seams.

Following cleaning and vacuum, carefully protect the carpeting from soiling and damage until final acceptance. Protection shall be accomplished by using approved protection paper. Edges shall be lapped 6 inches and secured with non-asphaltic tape. Covering shall be kept in repair and damaged portions replaced during the construction and move-in period.

Advise the Owner of protection methods and materials needed to ensure that carpeting will be without deterioration or damage at time of substantial completion.

Clean Base not more than four (4) days after being installed. Wash base thoroughly with a cleaner recommended by the base manufacturer and in accordance with the manufacturer's instruction.

Maintenance Materials: Deliver specified overrun (if any) and usable scraps of carpet to designated storage space, properly packaged (paper wrapped) and identified. Usable scraps are defined to include roll ends of not less than 9'-0" length, and pieces of more than three (3) square feet area and more than 8" wide. Dispose of smaller pieces as "construction waste", at the Contractor's cost.

Replace all moved furniture.

**J. CATIONIC STAIN RESISTANCE:**

Stain resistant properties must be permanent and not removable by commercial cleanings or abrasive wear. Under GSA requirements stain resistant carpets must score no less than 8.0 (10.0 is the best) on the AATCC Red 40 Stain Scale. Test sample must first be exposed to 100 revolutions on the Taber Abrader (1,000-gram weight per H-18 wheel) and then abraded area must be stain tested using AATCC test method 175. Topical stain resistant treatments will not be acceptable. Stain resistant properties must be inherent.

SPECIFICATIONS

**K. ENVIRONMENTAL ATTRIBUTES – LEED Criteria**

Environmental claims by manufacturer must comply with FTC guidelines.

Environmentally Preferred Product:

Carpet must have third party certification (such as Scientific Certification Systems) in accordance with Executive Order 13101 as an Environmentally Preferred Product (EPP).

Recycled Content:

Carpet must contain 20% post-consumer recycled content based on total product weight.

Rapidly Renewable Bio-based Materials:

Carpet must contain a minimum 10% bio-based rapidly renewable material based on total product weight.

Carpet Face Yarn:

In accordance with Executive Order 13101, carpet face yarn must be third party certified as an Environmentally Preferred Product (EPP).

Low Emitting Materials:

Carpet and all installation components including adhesives, sealers, seam welds and seam sealers must meet the *Low Emitting Materials* standards as outlined in U.S. Green Building Council LEED criteria. Adhesives must meet VOC emissions standards per South Coast Air Quality Management District Rule #1168.

End of Life Reclamation:

Manufacturer/Contractor must have an existing methodology actively in place to achieve landfill diversion.

**L. CARPET ACCESSORIES:**

Adhesives:

Waterproof, non-flammable carpet adhesive recommended and approved by carpet manufacturer in writing for compatibility with carpet backing. All floor sealers, seam sealers, and adhesives shall contain no calculated solvents per OSHA Regulation 29 CFRE 1910.1200, have no calculated VOC's, be non-flammable, and meet the criteria of the CRI Green Label Plus Certification Program. MSDS and samples required on product used.

Miscellaneous Materials:

As recommended and approved in writing by manufacturer of carpet, and selected by Flooring Contractor to meet project circumstance and requirements.

Protection Paper:

Fortifiber Corporation "Seekure 892", or approved heavy, reinforced, non-staining kraft laminated paper.

Nonmetallic Carpet Edge Guard:

Extruded or molded heavy duty rubber edge guard; with wide anchorage flange; colors to match carpeting from among all colors available from a rubber base manufacturer.

Installation Adhesive:

Water-resistant type as recommended by carpet or cushion manufacturer, and which complies with flammability requirements for installed carpet.

SPECIFICATIONS

**CARPET ACCESSORIES (CONTINUED)**

Miscellaneous Materials:

As recommended by manufacturers of carpet, and other carpeting products; and selected by Contractor to meet project circumstance and requirements.

**M. WARRANTY:**

General:

Provide special warranty, signed by Flooring Contractor, and Carpet Manufacturer, agreeing to repair or replace defective materials and workmanship of carpeting work during a 10 year warranty period following date of installation. Attached copies of product warranties for products specified.

Performance:

Carpet shall perform as follows:

Dissipation of unwanted static electricity and prevention of build up in excess of 3.5 KV at 70 Degrees Fahrenheit, 20% relative humidity.

Flammability: DOC FF#1-70 Pill Test, NFPA Class 1 when test under ASTM E-648 Glue Down Floor radiant Panel, NFPA -258 (450 or less) Flaming Mode NBS Smoke Chamber.

Guarantees:

Carpet shall be guaranteed as follows:

Wear:

Lifetime of the carpet. Not more than 10% face yarn loss by weight in normal use.

Static:

Lifetime of the carpet.

Edge ravel, Delamination and Zippering:

Guaranteed not to experience any during lifetime of the carpet.

Definition of Lifetime:

Lifetime is defined as the period from which materials are installed until the date in which the owner removes them from service.

Manufacturer's Lifetime Warranty:

Non-prorated, against product failure covering all costs including freight, labor, and material for the following:

Edge Ravel - Wet or dry.

Back delamination - wet or dry.

Loss of 20 lb. average tuft bind - wet or dry.

Static protection as stated above.

Wear - No more than 10% Face Yarn Loss.

SPECIFICATIONS

**M. WARRANTY (CONTINUED)**

Adhesive failure.

Installation Warranty:

Lifetime Warranty, non-prorated, against any installation related failure covering all costs including freight, labor, and material.

SPECIFICATIONS

**ITEM NO. 1: CARPETING, FURNISH & INSTALL**

Carpet Type CPT-1: Carpet shall meet the following minimum requirements:

1. Construction: Tufted.
2. Surface Texture: Performance loop pile.
3. Pile Thickness: .145" avg.
4. Gauge: 1/8".
5. Stitches: 8.3 per inch.
6. Yarn Weight: 26 oz. per sq. yd. minimum.
7. Density: 6,455 oz. per cubic yd. (per ASTM D-418).
8. Face Yarn: Type 6,6 Cationic Antron Legacy or Lumena Nylon by Invista.
9. Dye System: Yarn Dyed or Solution Dyed.
10. Dry Soil Retardant: DuraTech by Invista.
11. Primary Backing: Woven polypropylene.
12. Secondary Backing: Woven polypropylene.
13. Bonding Agent: 100% thermoplastic composite (no latex or urethanes).
14. Width: 12'
15. Tuft Bind: 20 lb. Avg. tuft bind wet or dry per ASTM D-1335-67.
16. Static Control: 3.5 KV when tested under Standard Shuffle test - 70 degrees, 20% RH
17. NBS Smoke Chamber NFPA 258: Less than 450 Flaming Mode.
18. Flammability:
  - a. DOC-FF-1-70 Pill Test: Passes.
  - b. Floor Radiant Panel: Meets NFPA Class 1 when tested per ASTM-E-648 glue down.
19. Color Fastness:
  - a. Lightfastness - AATCC 16E-1982 - Dark color: Gray scale rating of 4 or better after 160 standard fading hours as compared to AATCC Gray Scale for evaluation change in color
  - b. Ozone and Gas - AATCC 129-1981 - Rating 3 or better per color AATCC transference scale.
20. Indoor Air Quality: Manufacturer must demonstrate that carpet is certified under the CRI Green Label Plus Program.
21. Carpet Manufacturers: The following manufacturers and products are approved:
  - A. Lees Carpets – Faculty IV (DK 166)
  - B. Bentley's Interplay
22. Pattern and Color: Understanding the importance of pattern and color for aesthetics, as well as appearance retention and maintainability, owner reserves the right to reject any product or manufacturer based solely on pattern and color considerations.

SPECIFICATIONS

**ITEM NO. 2: CARPETING, FURNISH & INSTALL**

Carpet Type CPT-2: Carpet shall meet the following minimum requirements:

1. Construction: Tufted.
2. Surface Texture: Textured loop pile.
3. Pile Thickness: .094" avg.
4. Gauge: 5/64".
5. Stitches: 8.4 per inch.
6. Yarn Weight: 22 oz. per sq. yd. minimum.
7. Density: 8,400 oz. per cubic yd. (per ASTM D-418).
8. Face Yarn: Type 6,6 Cationic Antron Legacy or Lumena Nylon by Invista.
9. Dye System: Yarn Dyed or Solution Dyed.
10. Dry Soil Retardant: DuraTech by Invista.
11. Primary Backing: Reinforced synthetic
12. Secondary Backing: Fiberglass reinforced thermoplastic composite
13. Bonding Agent: Premium Vinyl
14. Size: 24" x 24"
15. Sq. Yds. Per Ctn: 6.22 sq. yd.
16. Static Control: 3.5 KV when tested under Standard Shuffle test (70 degrees, 20% RH)
17. NBS Smoke Chamber NFPA 258: Less than 450 Flaming Mode.
18. Flammability:
  - a. DOC-FF-1-70 Pill Test: Passes.
  - b. Floor Radiant Panel: Meets NFPA Class 1 when tested per ASTM-E-648 glue down.
19. Color Fastness:
  - a. Lightfastness – AATCC 16E-1982 – Dark color: Gray scale rating of 4 or better after 160 standard fading hours as compared to AATCC Gray Scale for evaluation change in color.
  - b. Ozone and Gas – AATCC 129-1981 – Rating 3 or better per color AATCC transference scale.
20. Indoor Air Quality: Manufacturer must demonstrate that carpet is certified under the CRI Green Label Plus Program.
21. Carpet Manufacturers: The following manufacturers and products are approved:
  1. Lees Carpets – Centered T (GT069 or Realization T (GT067)
  2. Bentley's Present
22. Pattern and Color: Understanding the importance of pattern and color for aesthetics, as well as appearance retention and maintainability, the owner reserves the right to reject any product or manufacturer based solely on pattern and color considerations.

SPECIFICATIONS

**ITEM NO. 3: VINYL BASE, FURNISH & INSTALL**

Vinyl Base: Vinyl Base shall be 4" wide from color group 2 and shall consist of 1/8" gauge Straight set on type. All corners shall be field-manufactured corners, as needed.

Type: Use straight set on type at carpeting and coved at vinyl composition tile floors.

Base

Adhesive: Water and alkali resistant as recommended by resilient base manufacturer.

**ITEM NO. 4: MOVING OF FURNITURE**

During the period of this contract, it is expected that some areas to be carpeted will be occupied. It shall be the Contractor's responsibility to move and return all furniture as required. The moving of the furniture shall be done on evenings and weekends, so as not to interrupt County operations. The County shall be responsible for the disconnection of all electrical devices such as wired modular panel partitions. All telephones, faxes, personal computers and peripherals shall be disconnected and labeled by County personnel, however the Contractor shall remove and replace it from the work area.

**ITEM NO. 5: FLOOR PREPARATION LABOR**

Labor cost, including wages, benefits, overhead and profit for floor preparation work beyond that which would be considered usual and customary minor repairs. This item is for unforeseen circumstances beyond the control of the Contractor and must be approved by the County both before and after the work is completed.

**ITEM NO. 6: UNDERLAYMENT CONCRETE**

Ardex K-15 or equal portland cement-based, high strength, fast-setting, self-leveling, non-shrink underlayment. Cement must be installed from featheredge to 1½ in a single operation. 55 lbs per bag.

**SUBMITTALS:**

Samples:

Submit for verification purposes, bidders must submit 9" X 9" samples of each of the two carpets and vinyl required. Samples should be accompanied by manufacturer's technical specification for each carpet required using terminology characteristics as listed in specification. Also include a complete representation in sample form of all available colorations. Submit for verification purposes, 6" lengths of exposed edge stripping and base.

Product Data:

In addition to complete data on each carpet and carpeting material, provide manufacturer's certification or certified test laboratory reports for required compliance with specified tests, and provide written instructions for each type of installation required.

Certifications:

Submit Manufacturer's published product literature that clearly indicates general compliance of products with the requirements specified.

Flooring Contractor shall submit with Bid Proposal written certification from Carpet Manufacturer that certifies Contractor as an approved installer for this type project.

Cook County reserves the right to test carpet at their expense to verify the delivered carpet is as specified. If the carpet fails to meet specifications, Contractor will reimburse Cook County the testing expense and the carpet may be rejected.

Contract No: 12-45-039

Maintenance Data:

Submit manufacturer's printed maintenance recommendations, including methods and frequency recommended for maintaining carpet in optimum conditions under anticipated traffic and use conditions.

**Group B – CITY OF CHICAGO**

**DETAILED SPECIFICATIONS**

**1. SCOPE**

The Contractor will furnish, deliver and Install, F.O.B., to the City of Chicago, Carpet Floor Tile, Vinyl Floor tiles and Vinyl Base and Related Supplies, either separately or in conjunction with labor for installation and/or removal, as may be required during the term of the Contract, all in accordance with the terms and conditions of the specification.

**2. TRADE NAME**

In cases where Carpet, Vinyl Floor Tile and Vinyl Base and related accessories are identified by a manufacturer's name, trade name, catalog number, or reference, it is understood that the bidder proposes to furnish the item so identified and does not propose to furnish an equal unless the proposed "equal" is definitely indicated therein by the bidder.

Reference to a specific manufacturer, trade name, or catalog is intended to be descriptive but not restrictive and only to indicate to the prospective bidder items that will be satisfactory. Bids on other makes and catalogs will be considered, provided each bidder clearly states on the face of the proposal exactly what it proposes to furnish, or forwards with the bid, a cut, illustration, or other descriptive matter which will clearly indicate the character of the item covered by the bid.

The Chief Procurement Officer hereby reserves the right to approve as an equal, or to reject as not being an equal, any item the bidder proposes to furnish which contains major or minor variations from specification requirements but which may comply substantially therewith.

**3. CONTRACTOR'S QUALIFICATIONS**

Contractor must be currently and regularly engaged in the installation of various floor covering materials specified in these Detailed Specifications in commercial/office/industrial settings.

The Contractor shall have substantial experience in the installation and maintenance of floor covering projects similar in size, scope and complexity as specified herein. The Contractor shall have sufficient workforce consisting of skilled tradesman to perform each project in a timely fashion. The Contractor shall submit with its bid a list of at least five (5) projects completed in the past, including the name of a contact person, size, scope and total cost of each project. The Contractor shall submit resumes of its supervisor(s), foremen, with its bid to the City.

Contractor must be an authorized supplier/reseller of the various materials listed on the Proposal Pages and be able to provide the manufacturer's standard warranty and any product information such as a manufacturer's technical bulletins or recall notices to the City. The Chief Procurement Officer's determination regarding Contractor's conformance with this requirement is final.

**4. AUTHORIZED DEALER/DISTRIBUTOR/RESELLER**

Contractor must be an authorized dealer; distributor or reseller of the various materials listed on the Proposal Pages and be able to provide the manufacturer's standard warranty and any product information such as manufacturer's technical bulletins or recall notices to the City.

**5. WORK PROPOSAL(S)**

The Contractor will, prior to all Work assignments, accompany the Commissioner of the requesting Department or; authorized representative, in a walk-through of area(s) in which Work is to be performed.

The Contractor will submit, for approval by the Commissioner, a Work Proposal, based on the prices quoted on the Proposal Page(s) detailing the following:

1. A plan of action for the work assignment.
2. Anticipated labor force.
3. Breakdown of all labor (if labor is requested).
4. Breakdown of all material costs.
5. Total estimated cost for the work.
6. Work time schedule.

Prior to all Work assignments, the Commissioner will decide whether to accept or reject the Contractor's proposal. If the proposal or any part thereof is rejected by the Commissioner, the Contractor and the Commissioner may discuss other possible alternatives.

**6. WORK AREA**

The Contractor's Work may include the removal and disposal from the premises all existing carpeting and/or carpet floor tile and the removal and disposal of all other materials from the floor surface in preparation to receive new carpet or carpet floor tile (preparation will include, but is not limited to the latexing, patching, leveling, etc. of floor surfaces), and the removal, storage return and re-positioning of existing furniture after completion of the Work, as required per job and as directed by the City. The City may elect to move furniture and remove existing carpet flooring and tile using its own forces or other contractors.

**7. CONDITIONS AT SITE**

Prior to the start of Work at the jobsite, the Contractor must examine all surfaces to which material will be applied and notify the Commissioner or the Commissioner's authorized representative, in writing, of any site conditions that may appear to be detrimental to the proper and timely completion of the Work. The Contractor's commencement of the work shall constitute acceptance of substrate surfaces and the site conditions and responsibility for the required finished results.

**8. DELIVERY AND STORAGE**

The Contractor is responsible for the scheduling, receiving and placement, on floors, of goods and materials to be used in this Work. Goods are to be delivered to the job site, whenever possible, in the manufacturer's original containers or bundles and shall be clearly marked as to size, dye, lot and material. Storage and Delivery of all materials are the Contractor's responsibility and are considered incidental to the Contract and will not be compensated separately beyond the materials' unit prices quoted on the Proposal Pages. Scheduling of deliveries will be made in conjunction with the

Commissioner. The storage of all materials must be done in accordance with the manufacturer's written directions and copies of such directions must be submitted to the Commissioner.

**9. PROTECTION OF WORK, DAMAGES AND REPAIRS**

The Contractor must provide protection for all uncompleted Work under this Contract until the Work has been completed and accepted by the City. Immediate notification must be given to the Commissioner if any damage is done to the City property and/or any adjoining properties.

The Contractor is responsible for and must repair when directed by the City, and pay for damages to new and existing structures, material, equipment, plant, stock and apparatus during the course of the Work, where such damage is directly due to Work under this Contract, or where such damage is the result of the negligence, or carelessness on the part of the Contractor or of its employees, or on the part of the Contractor's subcontractor or its employees. Furthermore, the Contractor must immediately notify the Commissioner of the respective department or authorized representative whenever such damages occur to City property.

**10. CLEAN UP**

The Contractor will be responsible during the progress of Work to remove, dispose of all materials, packing, crating, protective covering, empty containers, and any other associated debris on a daily basis and keep the Work site(s) and adjacent premises in a clean condition satisfactory to the Using Department. Any misplaced cement and adhesive will be cleaned from adjacent areas and the surfaces restored, to the satisfaction of the Commissioner. Upon completion of Work, the Contractor will remove all surplus materials, tools and machinery from the Work site(s), and must restore the site to the same general conditions that existed prior to the commencement of its operation.

**11. CHARACTER OF WORKERS**

The Contractor will employ only competent and efficient employees and sub-contractors, and whenever, in the opinion of the Commissioner, any employee is careless, incompetent, obstructs the progress of the Work, acts contrary to instructions or conducts themselves improperly, the Contractor will, upon request of the Commissioner, remove the employee from the Work and shall not employ such employee again for the Work under this Contract, except with the written consent of the Commissioner. The Contractor will not permit any person to enter any part of the Work or any buildings connected therewith while under the influence of intoxicating liquors, illegal drugs or contraband. The Contractor will not permit obnoxious behavior, or possession or consumption of alcoholic beverages, illegal drugs or contraband anywhere on the site of any Work to be performed under this Contract.

The Commissioner has authority to request the Contractor to remove any worker who proves to be incompetent or negligent in his/her duties.

**12. UNIFORMS**

The Contractor's employees are required to wear suitable uniforms while performing any Work under this Contract at a City facility.

The Contractor's employee(s) must wear an identification badge at all times while performing any Work under his Contract at a City facility.

**13. USE OF CITY FACILITIES**

The Contractor must request and receive the prior approval of the Commissioner for the use of any City facilities, such as telephones and facsimile machines. The City will provide access to electricity and water at work sites.

**14. COMPLIANCE WITH REGULATIONS**

The Contractor must comply with all applicable Federal, State and local laws, regulations, and ordinances (e.g. City of Chicago, U.S. and State of Illinois Environmental Protection Agencies, U.S. and Illinois Department of Health, etc.) concerning the handling, classification, transportation and disposal of building and construction materials or related items. Exhibit A: Contractor's Affidavit Regarding Removal of All Waste Materials and Identification of All Legal Dump Sites.

Furthermore, the City is contemplating a means of reducing the amount of building and construction materials and related items being dumped into landfills. The Contractor should provide documentation and information of their recycling/reclamation plan for such materials, if they have such a plan, with their bid as noted on the Proposal Page(s).

**15. DISPOSAL OF VARIOUS FLOOR COVERING MATERIALS**

The disposal of carpet and various floor covering materials will be compensated on a per square yard price via **Bid Line 38, 81, 123, 169, 208, 249, 294, 334, 377, 418, 455, 489, 525, 560, 596, 630, 662, 697, 732, 769, and 804**. The disposal price should include all costs including but not limited to transportation the disposal of the carpeting on a legal disposal facility, profit and overhead. The Contractor must dispose of any waste materials off site unless specifically authorized by the Commissioner to dispose of waste materials on site. The actual labor required to remove the floor covering will be paid separately under the laborers line items.

**16. MATERIAL SAFETY DATA SHEET**

Material Safety Data Sheet (OSHA Form 20) must be submitted with and deliveries of any substance described in the Illinois Toxic Substances Disclosure Act regardless of the quantity requested. The Contractor must furnish an OSHA 20 Form for each delivered item ordered under this Contract.

**12. UNIFORMS**

The Contractor's employees are required to wear suitable uniforms while performing any Work under this Contract at a City facility.

The Contractor's employee(s) must wear an identification badge at all times while performing any Work under his Contract at a City facility.

**13. USE OF CITY FACILITIES**

The Contractor must request and receive the prior approval of the Commissioner for the use of any City facilities, such as telephones and facsimile machines. The City will provide access to electricity and water at work sites.

**14. COMPLIANCE WITH REGULATIONS**

The Contractor must comply with all applicable Federal, State and local laws, regulations, and ordinances (e.g. City of Chicago, U.S. and State of Illinois Environmental Protection Agencies, U.S. and Illinois Department of Health, etc.) concerning the handling, classification, transportation and disposal of building and construction materials or related items. Exhibit A: Contractor's Affidavit Regarding Removal of All Waste Materials and Identification of All Legal Dump Sites.

Furthermore, the City is contemplating a means of reducing the amount of building and construction materials and related items being dumped into landfills. The Contractor should provide documentation and information of their recycling/reclamation plan for such materials, if they have such a plan, with their bid as noted on the Proposal Page(s).

**15. DISPOSAL OF VARIOUS FLOOR COVERING MATERIALS**

The disposal of carpet and various floor covering materials will be compensated on a per square yard price via **Bid Line 38, 81, 123, 169, 208, 249, 294, 334, 377, 418, 455, 489, 525, 560, 596, 630, 662, 697, 732, 769, and 804**. The disposal price should include all costs including but not limited to transportation the disposal of the carpeting on a legal disposal facility, profit and overhead. The Contractor must dispose of any waste materials off site unless specifically authorized by the Commissioner to dispose of waste materials on site. The actual labor required to remove the floor covering will be paid separately under the laborers line items.

**16. MATERIAL SAFETY DATA SHEET**

Material Safety Data Sheet (OSHA Form 20) must be submitted with and deliveries of any substance described in the Illinois Toxic Substances Disclosure Act regardless of the quantity requested. The Contractor must furnish an OSHA 20 Form for each delivered item ordered under this Contract.

**17. GUARANTEE FOR INSTALLED WORK**

All Work furnished by the Contractor under this Contract, must be guaranteed against defective materials and workmanship, improper performance and non-compliance with the specifications for a minimum period of one (1) year from the date of completion and acceptance by the Commissioner. During the warranty period, the Contractor must repair and replace defective materials and workmanship for a period of one (1) year from the date of final completion at no costs to the City when so directed by the Commissioner or Chief Procurement Officer.

In instances when the purchase is for materials only (no installation), the Contractor must provide a minimum one (1) year guarantee or material manufacturer's minimum guarantee, whichever is greater.

The Contractor must ensure all required Manufacturer's materials warranties for period, set forth by each manufacturer, which may originate, in part or whole, with the manufacturer or the fabricator must pass through the Contractor to the Using Department. The Contractor must ensure that all applicable manufacturers' warranty forms have been completed in the City department's name and registered with the appropriate manufacturers.

**18. GUARANTEE FOR MATERIALS DELIVERED WITHOUT INSTALLATION**

The Contractor will provide, at a minimum, the product manufacturers standard warranty for materials delivered without installation services.

**19. LABOR**

Labor to be provided by the Contractor under this Contract is broken into two the following classifications:

**20. INSTALLATION LABOR**

The Contractor will be responsible for the installation of various floor covering materials purchased via this Contract when directed by the Commissioner. The Contractor will be responsible for installation, repairing existing floor coverings and preparation and patching of floors prior to installation of new floor coverings. Carpet repairs includes but are not limited to seams, frays, bunching, stairs, rips, tears or similar damage. If the cost to replace is less than the cost of repairs the Contractor must notify the City prior to initiating repair. Hourly labor rates for installation of floor coverings are set forth on the Proposal Pages per line items **39, 40, 41, 45, 46, 47, 82, 83, 84, 88, 89, 90, 124, 125, 126, 130, 131, 132, 170, 171, 172, 176, 177, 178, 209, 210, 211, 215, 261, 217, 250, 251, 252, 256, 257, 258, 295, 296, 297, 301, 302, 303, 335, 336, 337, 341, 342, 343, 378, 379, 380, 384, 385, 386, 419, 420, 421, 425, 426, 427, 456, 457, 458, 462, 463, 464, 490, 491, 492, 496, 497, 498, 526, 527, 528, 532, 533, 534, 561, 562, 563, 567, 568, 569, 596, 597, 598, 602, 603, 604, 631, 632, 633, 637, 638, 639, 663, 664, 665, 669, 670, 671, 698, 699, 700, 704, 705, 706, 733, 734, 735, 739, 740, 741, 770, 771, 772, 776, 777, 778, 805, 806, 807, 811, 812, and 813** and include all associated costs including but not limited to tools, transportation, profit, overhead and insurance.

The flooring materials and accessories including adhesive and patching materials will be compensated separately according to prices on the respective bid lines.

**21. LABORER**

Laborer will be responsible for the removal of various floor covering materials and/or moving of furniture as directed by the Commissioner. Included in the hourly rate for labor as quoted on proposal pages per line items **42, 43, 44, 85, 86, 87, 127, 128, 129, 173, 174, 175, 212, 213, 214, 253, 254, 255, 298, 299, 300, 338, 339, 340, 381, 382, 383, 422, 423, 424, 459, 460, 461, 493, 494, 495, 529, 530, 531, 564, 565, 566, 599, 600, 601, 634, 635, 636, 666, 667, 668, 701, 702, 703, 736, 737, 738, 773, 774, 775, 808, 809, and 810** will be all associated costs including but not limited to tools, transportation, profit, overhead and insurance.

**22. WORK HOURS**

Work hours for installers and laborers will be broke into the following three categories:

Straight Time - First eight (8) consecutive hours of a day, Monday through Friday starting from 7:00 AM - 3:30 PM.

Overtime - After first eight (8) hours worked in a day, Monday through Friday, starting from 3:31 PM to 6:59AM and all day Saturday.

Premium Time - 12:00 AM - 1 1:59 PM Sunday and Holidays as listed herein:

Legal Holidays, under this Contract are as follows:

New Year's Day Memorial Day  
Independence Day Labor Day  
Thanksgiving Day Christmas Day

Daily Minimum Compensation - The City will pay for a minimum of four (4) hours labor per day for each worker in the event that scheduled Work takes less than four (4) hours to complete. The City reserves the right to schedule multiple tasks for the same day and all tasks will count towards the guaranteed four hour minimum. Unless requested to do so by the City, the Contractor may not schedule separate workers for each task in a day in order to receive the minimum four (4) hours per worker per day compensation.

**23. MATERIALS**

**A. CARPETING**

The Bidder must bid the exact name brands and styles or an equivalent for carpet and related supplies indicated on the Proposal Pages.

The Chief Procurement Officer has final determination in the acceptance and approval of bids for alternate materials.

**I. Carpet and Carpet Tiles**

The cost of Carpet Tiles will be billed by the Contractor, at the unit price bid on the Proposal Pages.

The unit price for the purchase of carpet includes any and all peripheral costs, including but not limited to material, delivery, guarantee, overhead and profit.

**II. Carpet Logo Mats**

The cost of Carpet Logo Mats will be billed by the Contractor at the unit prices bid by the Contractor on the Proposal Pages.

The unit price for the purchase of carpet logo mats includes any and all peripheral costs including but not limited to material, delivery, guarantee, overhead and profit.

**24. MATERIAL REQUIREMENTS**

**A. CARPET OR CARPET TILE**

The Contractor must provide the name brands and styles of carpet and related supplies as indicated on the Proposal Pages.

The Chief Procurement Officer has final determination in the acceptance and approval of bids for alternate materials.

**B. SAMPLES**

The Contractor will furnish and deliver, upon request by the Commissioner or the Commissioner's authorized representative, sample(s) of any proposed Carpet or related supply items for examination and approval by the Departments. All samples must be delivered F.O.B., City of Chicago, to the requesting Department. All samples must be tagged or labeled with the Contractor's name, address and City specification number.

The City will not be liable for the condition of the sample, if the Contractor requests return of the sample. The cost for the return of the sample(s) shall be borne by the Contractor.

**25. MATERIAL TOLERANCES**

The manufacturer's carpeting is subject to the following tolerances:

1. Five percent (5%) plus or minus variations in basic raw materials, pile height and weight.
2. Transverse and longitudinal rows must be perpendicular to each other with no tolerance allowed that shall cause uneven or bowed cross seams visible to the naked eye.
3. Transverse and longitudinal rows must be straight and true within each roll with no tolerance allowed that must cause uneven or bowed cross seams visible to the naked eye.
4. All carpet furnished shall be from the same dye lot for each Work assignment.

**26. FLAMMABILITY REQUIREMENTS**

Provide carpeting which complies with the following fire test performance criteria:

1. Carpet must pass Federal Flammability Test DOC-FF-1.70 (the pill test) 372-77 and ASTM E 648.
2. Carpet must be self-extinguishing within fifteen (15) seconds, when subjected to the State Fire Marshal of Illinois torch Test.
3. Carpet must pass flame spread and smoke density requirements of the Steiner Tunnel Test.

**27. SOIL RETARDANT TREATMENT**

Carpet must be treated either by mill process or on site with Scotch Guard brand carpet protector as manufactured by the 3M Company or an approved equivalent. Treatment must be applied as per manufacturer's recommendations.

**28. CARPET INSTALLATION USING DIRECT GLUE DOWN METHOD**

1. Take actual measurement at site of each space to receive carpeting, as a basis of supplying, cutting and seaming the carpet. Do not scale the drawings or calculate sizes from dimensions shown on the drawings.
2. Carpeting must be directly glued down to a properly prepared and cleaned floor substrate.
3. Installation of carpeting must be with all rows of yarn running in the same direction, unless specifically approved otherwise by the Using Department.

**Seaming Criteria**

Provide seaming diagram for review and approval by the Using Department. Utilize full width rolls throughout.

Use single pieces in door vestibules.

Provide minimum forty (40) foot run between seams.

No perpendicular seam is acceptable within five (5) feet of any doorway.

End-to-end seams can occur only where specifically approved by the Using Department. Side to end seaming is not permitted.

1. Carpeting must be installed around all floor outlets or similar obstructions, unless otherwise specified.
2. All other obstructions which may be present must be reported to the Using Department prior to any Work or fabrication.
3. The floor must be free of all foreign matter, grease, oil, paint, dirt, old or non-compatible adhesives, etc.
4. All holes, cracks and depressions must be filled with a latex compound and any protrusions must be eliminated.

5. Floor must be smooth with no noticeable hills or valleys.
6. Sweep or vacuum the floor using a sweeping compound without an oil or wax base as appropriate.
7. Prior to the installation of carpeting, where required, seal concrete floors to prevent dusting or powdering which would be detrimental to bonding. The following is a list of acceptable sealer manufacturers but this list is not an exclusive list and other acceptable manufacturers may be substituted pending final acceptance and approval of the Commissioner.

Duro-Kure, Setcon, Inc. Garfield,  
NJ 07026  
201-778-7700

Kure-N-Seal, Sonneborn Products  
Minneapolis, MN 55435  
612-835-3434

W.W. Henry's #162 and #262  
Owned by Armstrong World Industries  
Lancaster, PA 800-232-4832

8. Installation is subject to the Using Department's approval of layout drawings and manufacturer's printed instructions and recommendations.
9. The Contractor must contact the carpet manufacturer for detailed instructions for the installation of carpet.

## **29. PROTECTION AND CLEANING OF CARPETING**

Carpeting must be adequately covered and protected against damage of any kind during shipment and delivery to the job site after installation and until final acceptance by the Using Department. Protection may be by means of a drop cloth; non-staining Kraft paper; plywood; or as otherwise directed.

Upon completion of the Work, when directed by the Using Department, the covering is removed, the carpeting vacuum cleaned and any soiling removed to the satisfaction of the Using Department.

Damaged carpeting will be rejected and must be removed and replaced by the Contractor at no cost to the City.

## **30. CARPET MAINTENANCE**

The Contractor must submit to the Using Department two (2) copies of the maintenance manual listing the manufacturer's maintenance and cleaning recommendations for the carpet and carpet tile installed and/or purchased for the Using Department.

**31. CARPET SUBMITTALS**

Product Data: Submit manufacturer's product data on carpet and carpeting materials, showing that materials comply with requirements of data sheets and specifications. Also include manufacturer's installation and maintenance instructions.

Samples: For Work proposals, submit three (3), 18" x 27" samples of each type, color, texture and pattern of carpet required. Submit three (3) samples of vinyl base and carpet edge guard stripping. The Using Department will review samples for color, pattern and texture only. Compliance with all other requirements is the exclusive responsibility of the Contractor.

Overrun Stock, Carpeting: Deliver overrun stock and scraps of unused carpet to the Using Department.

**32. CARPET ACCESSORY MATERIALS**

Vinyl Base: Straight vinyl wall base in specified sizes and in various colors, with adhesive applied to walls.

Adhesive for Carpet: Provide adhesive as recommended by the carpet manufacturer. Provide adhesive which complies with flame spread rating required for carpet installation.

Miscellaneous Materials: Other materials exclusive adhesive, sealer, and patching materials including but not limited to seaming tape, thread, nails are considered incidental and will not be compensated beyond the unit prices bid for carpet tile and base material on the Proposal Pages when carpet is ordered with installation labor.

**VINYL FLOOR TILE, MATTING SAFETY FLOORING TREADS, VINYL BASEBOARD, COVE BASE, EDGING AND TRANSITION STRIPS AND VARIOUS ACCESSORY MATERIALS**

**33. MANUFACTURERS**

The Bidder must bid the exact name brands and styles or an equivalent for the floor covering and related supplies indicated on the Proposal Pages.

The Chief Procurement Officer has final determination in the acceptance and approval of alternate materials proposed by the bidder.

**34. RESILIENT FLOORING**

The unit price for the purchase of resilient flooring includes any and all peripheral costs, including but not limited to, material, delivery, guarantee; overhead and profit.

**35. MATERIAL DETAILS**

The Contractor must provide the name brands and styles of resilient flooring and related supplies as indicated on the Proposal Pages or note the alternate product they are proposing.

**36. SAMPLES**

The Contractor will furnish and deliver, upon request by the Commissioner or the Commissioner's authorized Representative, samples of any proposed resilient flooring or related items for examination and approval. All samples must be tagged or labeled with the contractor name, address and City specification number.

**37. EDGING AND SEAMING RESILIENT FLOORING AND MATS**

The Contractor, upon request, will be required to perform edging and seaming of specified resilient flooring mats for installation at various City locations. The Contractor will invoice the cost of edging and/or seaming based on the actual labor hours utilized by the Contractor to complete the work at the appropriate installation labor rate. If the work is performed offsite at the Contractor's facility, the Contractor is not entitled of the four (4) hour minimum labor guarantee and the work will be invoiced at the straight time rate. The cost of any materials beyond the cost of the matting or resilient flooring itself is considered incidental to the work and will not be compensated separately.

**MISCELLANEOUS MATERIALS**

The cost of treads, vinyl baseboard, cove base, edging and transition strips will be billed at the unit prices bid by the Contractor on the Proposal Pages.

**38. MATERIAL DETAILS**

Vinyl Base: Straight or cove vinyl wall base in specified sizes and various colors, with adhesive applied to walls.

Adhesive for Provide adhesive as recommended by the tile manufacturer. Provide resilient flooring: adhesive which complies with flame spread rating required for tile installation.

**39. FLAMMABILITY REQUIREMENTS**

Fire Test Performance: Provide resilient flooring which complies with the following fire test performance criteria, as determined by an independent testing laboratory acceptable to the Commissioner and authorities having jurisdiction.

1. Critical Radiant Flux (CRF): Not less than the following rating per ASTM E 648: 0.45 watts per sq. cm.
2. Flame Spread: Not more than 75 per ASTM E 84.
3. Smoke Developed: Not more than 40 per ASTM E 84 and ESTME 648.
4. Smoke Density: Not more than 450 per ASTM E 662.

**40. FLOOR PREPARATION (WHEN MATERIALS ARE ORDERED WITH INSTALLATION LABOR)**

1. Sub-floors: Prior to the start of laying the tile units, broom sweep or vacuum clean all surfaces to be covered.

- A. Perform bond and moisture tests on concrete sub-floors to determine if surface are sufficiently cured, dry and free of substances what may inhibit a strong bond.
- B. Remove substances from floor surfaces that would prevent adhesive bond.
- C. Use leveling and patching compounds, as recommended by resilient flooring manufacturer, for filling small cracks, holes and depressions in sub-floors.
- D. Floor must be smooth without noticeable hills or valleys.
  - 1. Concrete Primer: Apply concrete slab primer, if recommended by tile manufacturer, prior to application of adhesive. Apply in compliance with manufacturer's written directions.
  - 2. Tile: Open manufacturer (s) original cartons and condition tiles at a temperature of 70 degrees Fahrenheit for about twenty-four (24) hours before installation or as recommended by the manufacturer per its written directions/instructions.

**41. APPLICATION AND PREPARATION OF SUBSTRATES**

- 1. Leveling and Patching None re-emulsifiable latex, as recommended by tile Compound: manufacturer.
- 2. Adhesives (Cements): Waterproof, stabilized type, as recommended by the tile manufacturer. Asphalt emulsions and other non-waterproof types are not acceptable.
- 3. Concrete Slab Primer: Non-staining type, as recommended by the tile manufacturer.
- 4. Edging Strips: 1/8" thick, homogeneous vinyl or rubber composition, tapered or manufacturer's standard colors.

**42. INSTALLATION OF RESILIENT FLOORING**

- 1. Take actual site measurements of each space to receive resilient flooring, as a basis of supplying, cutting and laying the tile. Do not scale the architect's drawings or calculate sizes from dimensions shown.
- 2. Resilient flooring must be adhered to a properly prepared floor.
- 3. Resilient flooring must be installed around outlets or similar obstructions, unless otherwise specified.
- 4. All other obstructions which may be present must be reported to the Using Department prior to any Work.
- 5. Resilient flooring materials must be stored at the job site, at a minimum temperature of 70 degrees (70<sup>o</sup>) Fahrenheit, for at least twenty-four (24) hours before installation.

6. Adhesive used for glue-down must be as recommended by the resilient flooring manufacturer for the surfaces to which the various materials are to be cemented.
7. Edge strips shall be 1" wide vinyl tile reducer strips.
8. Resilient flooring must be installed in accordance with the manufacturer recommendations.
9. Flooring must be laid so that fields or patterns center on areas. Patterns must be adjusted so that edges of pieces shall not be less than one half (v2) size. Lay flooring with grain, as directed by the Using Department.
10. Flooring must be laid true to line, level and with tight joints.
11. Flooring must be cut to fit around permanent cabinets and bases and rolled to assure intimate contact and proper adhesion to substrate. Except where edge of resilient flooring is covered by a threshold, the Contractor must provide and install resilient edge strip or metal edge strip.
12. Resilient base must be firmly adhered to walls and permanent bases. The Contractor must use longest lengths practical. Internal and external corners and end stops to be installed using preformed pieces.

#### **43. EXTRA OR SURPLUS MATERIALS**

Tile Overrun: Limit production overrun on each carpet to amount necessary to ensure complete installation without extra seams, unless notified in writing by the Using Department to provide attic or overage stock.

#### **44. PROTECTION AND CLEANING OF RESILIENT FLOORING**

Flooring must be adequately covered and protected against damage of any kind during shipment and delivery to the job site, and, after installation until final acceptance by the Using Department. Protection may be by means of a drop cloth; reinforced, non-staining reinforced Kraft paper; plywood; or as otherwise specified.

Upon completion of the Work, when directed by the Using Department, the covering is removed, the flooring shall be broom cleaned and any soiling removed to the satisfaction of the Using Department. All excess adhesive or other surface blemishes shall be removed in accordance with the flooring manufacturer's recommendations. Damaged flooring will be rejected and must be removed and replaced by the Contractor at no costs to the City.

#### **45. RESILIENT FLOORING MAINTENANCE**

The Contractor must submit to the Using Department two (2) copies of a manual listing the manufacturer's maintenance recommendations for the flooring materials installed and/or purchased.

#### **46. DELIVERY**

Requested products must be delivered within four (4) weeks of receipt of purchase order from the City. Repeated failures of the Contractor to meet this delivery schedule may result in termination of Contract.

**47. DELIVERY LOCATIONS**

- City Hall-30 North LaSalle
- Department of General Services-1685 North Throop
- Department of General Services-1869 West Pershing
- Other Various City Work Sites

**48. EXCEPTIONS**

Any deviations from these specifications must be noted on the Proposal Page or Pages attached thereto, with the exact nature of the change outlined in sufficient detail. The reason for which deviations were made should also follow if not self-explanatory. Failure of a bidder to comply with the terms of this paragraph may be cause for rejection.

The City reserves the right to disqualify bids which do not completely meet outlined specifications. The impact of exceptions to the specification will be evaluated by the City in determining its need.

Contract No: 12-45-039

**"UNCONDITIONAL PRICE REDUCTION" for Tiles in Styles, LLC.**

PROPOSAL

The undersigned declares that they have carefully examined the Advertisement for Bids, the Proposal Form, General and Special Conditions and Specifications identified as Contract Document Number 12-45-039 for CARPETING AT VARIOUS COOK COUNTY AND CITY OF CHICAGO FACILITIES, and that they have familiarized themselves with all of the conditions under which it must be carried out and understand that in making this Proposal they waive all right to plead any misunderstanding regarding the same.

**Group A - COOK COUNTY**

Line	UOM	Qty	Description	Unit Price	Extended Price	Manufacturer	Manufacturer No.
1	Square Yard	10,000	CARPETING, FURNISH & INSTALL, AS PER SPECIFICATIONS HEREIN	31.25	312,500	Lee's	Faculty
2	Square Yard	14,000	CARPETING, FURNISH & INSTALL, AS PER SPECIFICATIONS HEREIN	37	518,000	Lee's	Lee center
3	Linear Foot	16,000	VINYL BASE, FURNISH & INSTALL, AS PER SPECIFICATIONS HEREIN	1.50	24,000	Roppe & Johnson	4"
4	Hour	3,200	MOVING OF FURNITURE, AS PER SPECIFICATIONS HEREIN	59	188,800	Laber	Laber
5	Hour	3,200	FLOOR PREPARATION LABOR, AS PER SPECIFICATIONS HEREIN	66	211,200	Laber	Laber
6	Hour	2,400	UNDERLAYMENT CONCRETE, AS PER SPECIFICATIONS HEREIN	66	158,400	Laber	Laber

GROUP A GRAND TOTAL: \$ 1,412,900

ACCEPTED

  
4/10/12

**Payment Discounts**

1	What payment terms would your company propose for this program?	1% 20 ; Net 30	
2	Is there a prompt payment discount that your company would be willing to offer? If so, please provide details	EARLY PAYMENT	% DISCOUNT
		NET 30	Net
		NET 20	1
		OTHER	

DELIVERY DATE: 2 Weeks after award or earlier  
 (NUMBER OF CALENDAR DAYS AFTER AWARD OF CONTRACT)

PROPOSAL

**GROUP B – City of Chicago**

Contract No. 12-45-039

Line	UOM	Qty	Description	Price	Extended Price	Manufacturer	Manufacturer No.
<b>LOT A</b>							
1	Square Yard	3,000	CARPET, BROADLOOM - PERFORMANCE LOOP GRAPHICS, LEE'S, SISAL CRAFT II, OR, APPROVED EQUIVALENT, VARIOUS COLORS (MATERIAL ONLY)	29.61	88830	Lee	Sisal craft 2
2	Square Yard	10,000	CARPET, BROADLOOM - TEXTURED LOOP, LEE'S FACULTY IV OR APPROVED EQUIVALENT, VARIOUS COLORS (MATERIAL ONLY)	27.19	271900	Lee	faculty 11
3	Square Yard	3,000	CARPET TILES - 24" X 24" SQUARE, LEE'S RWALIZATION COLLECTION, OR APPROVED EQUIVALENT, VARIOUS COLORS (MATERIAL ONLY)	37.31	111930	Lee	Realization
4	Square Yard	3,000	CARPET TILES - 24" X 24" SQUARE, LEE'S WORKPLACE COLLECTION OR APPROVED EQUIVALENT VARIOUS COLORS (MATERIAL ONLY)	39.07	117210	Lee	Workplace
5	Square Yard	15,000	CARPET TILES - 24" X 24" SQUARE, WORKPLACE COLLECTION OR APPROVED EQUIVALENT, VARIOUS COLORS (MATERIAL ONLY)	44.90	673500	Lee	24x24 Workplace
6	Square Yard	15,000	CARPET TILES - 24" X 24" SQUARE, LEE'S ATTRIBUTE OR APPROVED EQUIVALENT, VARIOUS COLORS (MATERIAL ONLY)	44.90	673500	Lee	24x24 Attribute

7	Square Yard	3,000	CARPET TILES - 24" X 24" SQUARE, LEE'S FACULTY IV OR APPROVED EQUIVALENT, VARIOUS COLORS (MATERIAL ONLY)	40-06	120,180	Lee	24x24 faculty 10
8	Square Yard	100,000	CARPET, RESILIENT SHEET FLOORING - LEE'S NEO FLOOR OR APPROVED EQUIVALENT, VARIOUS COLORS (MATERIAL ONLY)	35	3500,000	Manington	Lifeline 11
9	Pail	6,000	ADHESIVE, WALL BASE - WALL BASE RISERS & VINYL TRANSITION STRIPS, MANUFACTURER APPROVED OR EQUIVALENT WALL BASE ADHESIVE. ADHESIVE TO BE COMPATIBLE WITH WALL BASE RISERS & VINYL TRANSITION STRIPS PROVIDED IN THIS CONTRACT UNDER OTHER LINE ITEMS, 4 GAL PAIL (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	120	720,000	Any Mnf Recommended	Any Note Neo sheet is dropped obsolete

			CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)				
10	Linear Foot	30,000	WALL BASE, RUBBER - 2 1/2" X 48", ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	0.65	19500	Armstrong or Any Mnfr	Any Mnfr
11	Linear Foot	30,000	WALL BASE, RUBBER - 2 1/2" X 48", ARMSTRONG OR APPROVED EQUIVALENT, STRAIGHT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	0.65	19500	Armstrong	Any color
12	Linear Foot	200,000	WALL BASE, RUBBER - 4" X 48", ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	0.70	140000	Armstrong	Any color
13	Linear Foot	200,000	WALL BASE, RUBBER - 4" X 48", ARMSTRONG OR APPROVED EQUIVALENT, STRAIGHT,	0.70	140000	Armstrong	Any color

			VARIOUS COLORS (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)				
14	Linear Foot	300,000	WALL BASE, RUBBER - 6" X 48", ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	1-30	390000	Armstrong	Any color
15	Linear Foot	30,000	WALL BASE, RUBBER - 6" X 48", ARMSTRONG OR APPROVED EQUIVALENT, STRAIGHT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	1-30	390000	Armstrong	Any color
16	Linear Foot	30,000	WALL BASE, RUBBER - 4" OUTSIDE CORNERS, ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	1-70	51000	Armstrong	Any color
17	Linear Foot	30,000	WALL BASE, RUBBER - 6" OUTSIDE CORNERS, ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION	1-70	51000	Armstrong	Any color

			WITH GROUP A INSTALLATIONS ONLY)				
18	Each	100,000	ADHESIVES, CARPETS - LEE'S NEO FLOOR ADHESIVE (4 GALLON PAIL)	120	120,000,000	Lee	Recommended Adhesive
19	Gallon	100,000	ADHESIVE, TRANSITION STRIPS AND STAIR TREADS, RUBBER - ADHESIVE FOR RUBBER TRANSITION STRIP (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	35	3500,000	Any Recommended Adhesive	Any
20	Each	25,000	PATCH AND ACCESSORIES, FLOOR - FLOOR PATCH, 25 LB. BAGS, JIFF SET WITH LATEX ADDITIVE (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	25	625,000	ARDEX	ARDEX
21	Pail	100	ADHESIVES, CARPET - MANUFACTURER APPROVED OR EQUIVALENT CARPET ADHESIVE, 4 GAL/PAIL. (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	120	12000	Mnfr Recommended Adhesive	Any

22	Bottle	100	SEAM SEALER, SEAM WELDER, CARPET - SEAM SEALER, LEES, MODEL: SOLVENT FREE SEAM SEALER, QUART/BOTTLE. NO SUBSTITUTES, TO BE USED WITH LEES CARPET	35	3500	Lees	Solvent free adhesive
23	Bottle	100	SEAM SEALER, SEAM WELDER, CARPET - SEAM WELDER, LEES, MODEL: PT SEAM WELDER, PINT/BOTTLE. NO SUBSTITUTES, TO BE USED WITH LEES CARPET	35	3500	Lees	PT Seam
24	Pail	100	SEALER, FLOOR - LEES, MODEL: SURE SEAL, 4 GAL/PAIL. NO SUBSTITUTES, TO BE USED WITH LEES CARPET	40	4000	Lees	Sure Seal 4
25	Pail	100	ADHESIVES, CARPET - LEES, MODEL: UNIBOND SOLVENT FREE/WET SET RE ADHESIVE, 4 GAL/PAIL. NO SUBSTITUTES, TO BE USED WITH LEES CARPET	130	13000	Lees	Unibond wetset
26	Pail	250	ADHESIVES, CARPET - LEES, MODEL: FASTSET MULTI-PURPOSE ADHESIVE, 4 GAL/PAIL. NO SUBSTITUTES, TO BE USED WITH LEES CARPET	120	30000	Lees	Fastset adhesive

27	Gallon	500	ADHESIVES, CARPET - MANUFACTURER APPROVED OR EQUIVALENT, PRESSURE SENSITIVE ADHESIVE FOR USE WITH FLOOR COVERINGS CARPET TILES (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	50	25000	Any Mfr Recondel	Any
28	Linear Foot	30,000	BASE, COVE, RUBBER (INCLUDING CORNER & GUARDS) - VARIOUS LENGTHS, ARMSTRONG APPROVED OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	1.40	42000	Armstrong	Any color
29	Linear Foot	6,000	TREADS, STAIR, METAL - 2 IN. X 4 IN., US 26D, EDGE NOSING, COLOR: CHROME (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	10	60000	Any Mfr	Any
30	Linear Foot	6,000	TREADS, STAIR, RUBBER - 2 IN. X 4 IN. EDGE NOSING, VARIOUS COLORS (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	10	60000	Any Mfr	Any

31	Linear Foot	6,000	TREADS, STAIR, RISERS, RUBBER - 48" LENGTH X 3/16" THICKNESS, ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	15	90000	Armstrong	Any color
32	Linear Foot	6,000	TREADS, STAIR, RISERS, RUBBER - 72" LENGTH X 1/4" THICKNESS, ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	15	90000	Armstrong	Any color
33	Linear Foot	100,000	EDGING, VINYL - 1/8" X 1", ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	0.60	60000	Armstrong	Any color
34	Linear Foot	100,000	EDGING, VINYL - 1/8" X 1-1/2", ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	0.80	80000	Armstrong	Any color
35	Linear Foot	100,000	EDGING, VINYL - VINYL TILE EDGING 1/8" X 1", ARMSTRONG OR EQUIVALENT, STRIPS, VARIOUS COLORS (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	0.80	80000	Armstrong	Any color

			ONLY)				
36	Linear Foot	100,000	STRIPS, TRANSITION - VARIOUS WIDTHS, ARMSTRONG OR EQUIVALENT, HEAVY DUTY, VARIOUS COLORS (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	3	300,000	Armstrong	Any color
37	Gallon	100,000	SEALER, FLOOR - CONCRETE FLOOR SEALER FOR USE PRIOR TO INSTALLATION OF FLOOR COVERING (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	35	3500,000	Any Mfr Recommended	Any
38	Square Yard	500,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - DISPOSAL FEE FOR REMOVED FLOOR COVERING, PRICED PER SQUARE YARD. PRICE DOES NOT INCLUDE LABOR FOR THE ACTUAL REMOVAL OF FLOOR COVERING (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	5	2,500,000	Laber	Laber

39	Hour	18,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR INSTALLATION OF VARIOUS FLOOR COVERINGS, STRAIGHT TIME, MONDAY THROUGH FRIDAY 7 A.M. - 3:30 P.M. (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	70	1260,000	Labor	Labor
40	Hour	54,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR INSTALLATION OF VARIOUS FLOOR COVERINGS, OVERTIME, MONDAY THRU FRIDAY 3:31 P.M.- 6:59 A.M. AND MONDAY THRU FRIDAY AFTER FIRST 8 HOURS WORKED IN A DAY & ALL DAY SATURDAY (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	105	5670,000	Labor	Labor

41	Hour	10,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR INSTALLATION OF VARIOUS FLOOR COVERINGS, PREMIUM TIME, 12:00 A.M. - 11:59 P.M. SUNDAYS AND SPECIFIED HOLIDAYS (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	140	1400,000	Labor	Labor
42	Hour	18,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR REMOVAL OF VARIOUS FLOOR COVERINGS AND MOVING FURNITURE, STRAIGHT TIME, MONDAY THROUGH FRIDAY 7 A.M. - 3:30 P.M. (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	70	1260,000	Labor	Labor

43	Hour	54,000	<p>FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR REMOVAL OF VARIOUS FLOOR COVERINGS AND MOVING FURNITURE, OVERTIME, MON THRU FRI 3:31 PM - 6:59 AM AND MON THRU FRI AFTER FIRST 8 HOURS WORKED IN A DAY AND ALL DAY SAT (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)</p>	<p><del>60</del> 60</p>	<p>3240,000</p>	<p>Labour</p>	<p>Labour</p>
44	Hour	10,000	<p>FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR REMOVAL OF VARIOUS FLOOR COVERINGS AND MOVING FURNITURE, PREMIUM TIME, 12:00 A.M. TO 11:59 P.M. SUNDAYS AND SPECIFIED HOLIDAYS (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)</p>	<p>90</p>	<p>900,000</p>	<p>Labour</p>	<p>Labour</p>

45	Hour	18,000	FLOOR PREP & PATCH LABOR, REQUIRED FOR SURFACE PREPARATION TO ACCEPT NEW FLOOR COVERING, STRAIGHT TIME, MONDAY THROUGH FRIDAY 7 A.M. - 3:30 P.M. (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	67	1206,000	Labor	Labor
46	Hour	54,000	FLOOR PREP & PATCH LABOR, REQUIRED FOR SURFACE PREPARATION TO ACCEPT NEW FLOOR COVERING, OVERTIME, MONDAY THRU FRIDAY 3:31 P.M.- 6:59 A.M. AND MONDAY THRU FRIDAY AFTER FIRST 8 HOURS WORKED IN A DAY & ALL DAY SATURDAY (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)	101	5454,000	Labor	Labor
47	Hour	10,000	FLOOR PREP & PATCH LABOR, REQUIRED FOR SURFACE PREPARATION TO ACCEPT NEW FLOOR COVERING, PREMIUM TIME, 12:00 A.M. - 11:59 P.M. SUNDAYS	134	1340,000	Labor	Labor

			AND SPECIFIED HOLIDAYS (IN CONJUNCTION WITH GROUP A INSTALLATIONS ONLY)				
<b>LOT B</b>							
48	Square Yard	25,000	CARPET, BROADLOOM - MFR: THE MOHAWK GROUP BIGELOW, NEW BASICS 26 WITH DURALOC BACKING, STYLE NUMBER BC2122, VARIOUS COLORS, OR APPROVED EQUIVALENT (MATERIAL ONLY)	17-15	428750	Mohawk Bigelow	New Basics
49	Square Yard	25,000	CARPET, BROADLOOM - MFR: THE MOHAWK GROUP BIGELOW, TRAX III UPS RE BACKING SYSTEM, STYLE NUMBER BC20, VARIOUS COLORS, OR APPROVED EQUIVALENT (MATERIAL ONLY)	24-88	622,000	Mohawk Bigelow	TRAX III
50	Square Yard	54,000	CARPET TILES - 24" X 24" SQUARE, MFR: MOHAWK GROUP BIGELOW, ACCOUNTABLE II MODULAR, STYLE NUMBER BT267, VARIOUS COLORS, OR APPROVED EQUIVALENT (MATERIAL ONLY)	18-94	1022,760	Bigelow	Accountable II

51	Pail	6,000	ADHESIVE, WALL BASE - WALL BASE RISERS & VINYL TRANSITION STRIPS, MANUFACTURER APPROVED OR EQUIVALENT WALL BASE ADHESIVE. ADHESIVE TO BE COMPATIBLE WITH WALL BASE RISERS & VINYL TRANSITION STRIPS PROVIDED IN THIS CONTRACT UNDER OTHER LINE ITEMS, 4 GAL PAIL (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	126	720000	Any Mfg Recommended	Any
52	Linear Foot	30,000	WALL BASE, RUBBER - 2 1/2" X 48", ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	0-65	19500	Armstrong	Any color
53	Linear Foot	30,000	WALL BASE, RUBBER - 2 1/2" X 48", ARMSTRONG OR APPROVED EQUIVALENT, STRAIGHT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	0-65	19500	Armstrong	Any color

54	Linear Foot	200,000	WALL BASE, RUBBER - 4" X 48", ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	0-70	140000	Armstrong	Any color
55	Linear Foot	200,000	WALL BASE, RUBBER - 4" X 48", ARMSTRONG OR APPROVED EQUIVALENT, STRAIGHT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	0-70	140000	Armstrong	Any color
56	Linear Foot	300,000	WALL BASE, RUBBER - 6" X 48", ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	1-30	390,000	Armstrong	Any color
57	Linear Foot	30,000	WALL BASE, RUBBER - 6" X 48", ARMSTRONG OR APPROVED EQUIVALENT, STRAIGHT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	1-30	39000	Armstrong	Any color
58	Linear Foot	30,000	WALL BASE, RUBBER - 4" OUTSIDE CORNERS, ARMSTRONG OR APPROVED	1-65	49500	Armstrong	Any color

			EQUIVALENT, COVERED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)				
59	Linear Foot	30,000	WALL BASE, RUBBER - 6" OUTSIDE CORNERS, ARMSTRONG OR APPROVED EQUIVALENT, COVERED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	1-70	51000	Armstrong	Any color
60	Each	100,000	ADHESIVES, CARPETS - MANUFACTURER APPROVED OR EQUIVALENT FLOOR ADHESIVE (4 GALLON PAIL) (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	120	120,600	Mnfr Approved	Any
61	Gallon	100,000	ADHESIVE, TRANSITION STRIPS AND STAIR TREADS, RUBBER - ADHESIVE FOR RUBBER TRANSITION STRIP (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	35	3500000	Mnfr Approved	Any
62	Each	25,000	PATCH AND ACCESSORIES, FLOOR - FLOOR PATCH, 25 LB. BAGS, JIFF SET WITH LATEX ADDITIVE (IN CONJUNCTION	25	625000	ARAE <sub>x</sub>	Any

			WITH GROUP B INSTALLATIONS ONLY)				
63	Pail	100	ADHESIVES, CARPET - MANUFACTURER APPROVED OR EQUIVALENT ADHESIVE, 4 GAL/PAIL. (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	120	12000	Mnfr Approved	Any
64	Bottle	100	SEAM SEALER, SEAM WELDER, CARPET - SEAM SEALER, MANUFACTURER APPROVED OR EQUIVALENT CARPET SEAM SEALER, QUART/BOTTLE. (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	35	3500	Mnfr Approved	Any
65	Bottle	100	SEAM SEALER, SEAM WELDER, CARPET - SEAM SEALER, MANUFACTURER APPROVED OR EQUIVALENT SOLVENT FREE SEAM SEALER, QUART/BOTTLE. (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	35	3500	Mnfr Approved	Any

771527060

66	Bottle	100	SEAM SEALER, SEAM WELDER, CARPET - SEAM WELDER, MANUFACTURER APPROVED OR EQUIVALENT PT SEAM WELDER, PINT/BOTTLE. (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	35	3500	Mnfr Approved	Any
67	Pail	100	SEALER, FLOOR - MANUFACTURER APPROVED OR EQUIVALENT SURE SEAL, 4 GAL/PAIL. (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	35	3500	Mnfr Approved	Any
68	Pail	100	ADHESIVES, CARPET - MANUFACTURER APPROVED OR EQUIVALENT, UNIBOND SOLVENT FREE/WET SET RE ADHESIVE, 4 GAL/PAIL. (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	130	13000	Mnfr Approved	Any
69	Pail	250	ADHESIVES, CARPET - MANUFACTURER APPROVED OR EQUIVALENT, FASTSET MULTI-PURPOSE ADHESIVE, 4 GAL/PAIL. (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	120	30000	Mnfr Approved	Any

70	Gallon	500	ADHESIVES, CARPET - MANUFACTURER APPROVED OR EQUIVALENT, PRESSURE SENSITIVE ADHESIVE FOR USE WITH FLOOR COVERINGS CARPET TILES. (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	50	25000	Mnfr Approved	Any
71	Linear Foot	30,000	BASE, COVE, RUBBER (INCLUDING CORNER & GUARDS) - VARIOUS LENGTHS, ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (MATERIAL ONLY) (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	140	42000	Armstrong	Any color
72	Linear Foot	6,000	TREADS, STAIR, METAL - 2 IN. X 4 IN., US 26D, EDGE NOSING, COLOR: CHROME (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	10	60000	Any Mnfr	Any
73	Linear Foot	6,000	TREADS, STAIR, RUBBER - 2 IN. X 4 IN. EDGE NOSING, VARIOUS COLORS (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	10	60000	Any Mnfr	Any

74	Linear Foot	6,000	TREADS, STAIR, RISERS, RUBBER - 48" LENGTH X 3/16" THICKNESS, ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	15	90000	Armstrong	Any color
75	Linear Foot	6,000	TREADS, STAIR, RISERS, RUBBER - 72" LENGTH X 1/4" THICKNESS, ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	15	90000	Armstrong	Any color
76	Linear Foot	100,000	EDGING, VINYL - 1/8" X 1", ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	0.60	60000	Armstrong	Any color
77	Linear Foot	100,000	EDGING, VINYL - 1/8" X 1-1/2", ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	0.80	80000	Armstrong	Any color
78	Linear Foot	100,000	EDGING, VINYL - VINYL TILE EDGING 1/8" X 1", ARMSTRONG OR EQUIVALENT, STRIPS, VARIOUS COLORS (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	0.80	80000	Armstrong	Any color

			ONLY)				
79	Linear Foot	100,000	STRIPS, TRANSITION - VARIOUS WIDTHS, ARMSTRONG OR EQUIVALENT, HEAVY DUTY, VARIOUS COLORS (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	3	300,000	Anthony	Any color
80	Gallon	100,000	SEALER, FLOOR - CONCRETE FLOOR SEALER FOR USE PRIOR TO INSTALLATION OF FLOOR COVERING (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	35	350,000	Any Mfr Approved	Any
81	Square Yard	500,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - DISPOSAL FEE FOR REMOVED FLOOR COVERING, PRICED PER SQUARE YARD. PRICE DOES NOT INCLUDE LABOR FOR THE ACTUAL REMOVAL OF FLOOR COVERING (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	5	2,500,000	Labo	Laboer

82	Hour	18,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR INSTALLATION OF VARIOUS FLOOR COVERINGS, STRAIGHT TIME, MONDAY THROUGH FRIDAY 7 A.M. - 3:30 P.M. (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	70	1260,000	Labor	Labor
83	Hour	54,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR INSTALLATION OF VARIOUS FLOOR COVERINGS, OVERTIME, MONDAY THRU FRIDAY 3:31 P.M.- 6:59 A.M. AND MONDAY THRU FRIDAY AFTER FIRST 8 HOURS WORKED IN A DAY & ALL DAY SATURDAY (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	105	5670,000	Labor	Labor
84	Hour	10,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR INSTALLATION OF VARIOUS FLOOR COVERINGS, PREMIUM TIME,	140	1400,000	Labor	Labor

			12:00 A.M. - 11:59 P.M. SUNDAYS AND SPECIFIED HOLIDAYS (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)				
85	Hour	18,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR REMOVAL OF VARIOUS FLOOR COVERINGS AND MOVING FURNITURE, STRAIGHT TIME, MONDAY THROUGH FRIDAY 7 A.M. - 3:30 P.M. (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	70	1260,000	Labour	Labour
86	Hour	54,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR REMOVAL OF VARIOUS FLOOR COVERINGS AND MOVING FURNITURE, OVERTIME, MON THRU FRI 3:31 PM - 6:59 AM AND MON THRU FRI AFTER FIRST 8 HOURS WORKED IN A DAY AND ALL DAY SAT (IN CONJUNCTION WITH GROUP B INSTALLATIONS)	105	5670,000	Labour	Labour

			ONLY)				
87	Hour	10,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR REMOVAL OF VARIOUS FLOOR COVERINGS AND MOVING FURNITURE, PREMIUM TIME, 12:00 A.M. TO 11:59 P.M. SUNDAYS AND SPECIFIED HOLIDAYS (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	140	1400,000		
88	Hour	18,000	FLOOR PREP & PATCH LABOR, REQUIRED FOR SURFACE PREPARATION TO ACCEPT NEW FLOOR COVERING, STRAIGHT TIME, MONDAY THROUGH FRIDAY 7 A.M. - 3:30 P.M. (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	67	1206000	Labor	Labor

89	Hour	54,000	FLOOR PREP & PATCH LABOR, REQUIRED FOR SURFACE PREPARATION TO ACCEPT NEW FLOOR COVERING, OVERTIME, MONDAY THRU FRIDAY 3:31 P.M.- 6:59 A.M. AND MONDAY THRU FRIDAY AFTER FIRST 8 HOURS WORKED IN A DAY & ALL DAY SATURDAY (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	101	5454000	Labour	Labour
90	Hour	10,000	FLOOR PREP & PATCH LABOR, REQUIRED FOR SURFACE PREPARATION TO ACCEPT NEW FLOOR COVERING, PREMIUM TIME, 12:00 A.M. - 11:59 P.M. SUNDAYS AND SPECIFIED HOLIDAYS (IN CONJUNCTION WITH GROUP B INSTALLATIONS ONLY)	134	1346000	Labour	Labour
<b>LOT C</b>							
91	Square Yard	25,000	CARPET, BROADLOOM - MFR: SHAW INDUSTRIES, MODERN TRADITION ON STALOK PATTERN BACKING, STYLE NUMBER 54207,	13.29	332250	Shaw	Modern Traditions

			VARIOUS COLORS, OR APPROVED EQUIVALENT (MATERIAL ONLY)				
92	Square Yard	54,000	CARPET TILES - 24 IN. X 24 IN. SQUARE, MFR: SHAW INDUSTRIES QUEEN COMMERCIAL, POINT OF INTEREST, STYLE NUMBER J0129, VARIOUS COLORS, OR APPROVED EQUIVALENT (MATERIAL ONLY)	28	1512,000	Shaw	Chair Reaction
93	Pail	6,000	ADHESIVE, WALL BASE - WALL BASE RISERS & VINYL TRANSITION STRIPS, MANUFACTURER APPROVED OR EQUIVALENT WALL BASE ADHESIVE. ADHESIVE TO BE COMPATIBLE WITH WALL BASE RISERS & VINYL TRANSITION STRIPS PROVIDED IN THIS CONTRACT UNDER OTHER LINE ITEMS, 4 GAL PAIL (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	120	720,000	Any Mnfr Approval	Any

*Point of Interest Obsolete*

94	Linear Foot	30,000	WALL BASE, RUBBER - 2 1/2" X 48", ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	0-65	19,500	Armstrong	Any color
95	Linear Foot	30,000	WALL BASE, RUBBER - 2 1/2" X 48", ARMSTRONG OR APPROVED EQUIVALENT, STRAIGHT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	0-65	19,500	Armstrong	Any color
96	Linear Foot	200,000	WALL BASE, RUBBER - 4" X 48", ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	0-70	140,000	Armstrong	Any color
97	Linear Foot	200,000	WALL BASE, RUBBER - 4" X 48", ARMSTRONG OR APPROVED EQUIVALENT, STRAIGHT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	0-70	140,000	Armstrong	Any color
98	Linear Foot	300,000	WALL BASE, RUBBER - 6" X 48", ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS	1-30	390,000	Armstrong	Any color

97990310

			COLORS (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)				
99	Linear Foot	30,000	WALL BASE, RUBBER - 6" X 48", ARMSTRONG OR APPROVED EQUIVALENT, STRAIGHT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	1-30	39000	Armstrong	Any Color
100	Linear Foot	30,000	WALL BASE, RUBBER - 4" OUTSIDE CORNERS, ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	1-30	39000	Armstrong	Any Color
101	Linear Foot	30,000	WALL BASE, RUBBER - 6" OUTSIDE CORNERS, ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	1-65	49500	Armstrong	Any Color
102	Each	100,000	ADHESIVES, CARPETS - MANUFACTURER APPROVED OR EQUIVALENT FLOOR ADHESIVE (4 GALLON PAIL) (IN CONJUNCTION	120	12000,000	Mnfr Approved	Any

			WITH GROUP C INSTALLATIONS ONLY)				
103	Gallon	100,000	ADHESIVE, TRANSITION STRIPS AND STAIR TREADS, RUBBER - ADHESIVE FOR RUBBER TRANSITION STRIP (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	35	3500,000	Mnfr Approval	Any
104	Each	25,000	PATCH AND ACCESSORIES, FLOOR - FLOOR PATCH, 25 LB. BAGS, JIFF SET WITH LATEX ADDITIVE (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	25	625,000	Jiffset	Any
105	Pail	100	ADHESIVES, CARPET - MANUFACTURER APPROVED OR EQUIVALENT ADHESIVE, 4 GAL/PAIL. (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	120	12000	Mnfr Approval	Any
106	Bottle	100	SEAM SEALER, SEAM WELDER, CARPET - SEAM SEALER, MANUFACTURER APPROVED OR EQUIVALENT CARPET SEAM SEALER, QUART/BOTTLE. (IN CONJUNCTION WITH GROUP C	35	3500	Mnfr Approval	Any

			INSTALLATIONS ONLY)				
107	Bottle	100	SEAM SEALER, SEAM WELDER, CARPET - SEAM SEALER, MANUFACTURER APPROVED OR EQUIVALENT SOLVENT FREE SEAM SEALER, QUART/BOTTLE. (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	35	3500	Mnfr Approval	Any
108	Bottle	100	SEAM SEALER, SEAM WELDER, CARPET - SEAM WELDER, MANUFACTURER APPROVED OR EQUIVALENT PT SEAM WELDER, PINT/BOTTLE. (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	35	3500	Mnfr Approval	Any
109	Pail	100	SEALER, FLOOR - MANUFACTURER APPROVED OR EQUIVALENT SURESEAL, 4 GAL/PAIL. (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	120	12000	Mnfr Approval	Any
110	Pail	100	ADHESIVES, CARPET - MANUFACTURER APPROVED OR EQUIVALENT, UNIBOND SOLVENT	120	12000	Mnfr Approval	Any

			FREE/WET SET RE ADHESIVE, 4 GAL/PAIL. (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)				
111	Pail	250	ADHESIVES, CARPET - MANUFACTURER APPROVED OR EQUIVALENT, FASTSET MULTI-PURPOSE ADHESIVE, 4 GAL/PAIL. (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	120	30,000	Mnfr Approved	Any
112	Gallon	500	ADHESIVES, CARPET - MANUFACTURER APPROVED OR EQUIVALENT, PRESSURE SENSITIVE ADHESIVE FOR USE WITH FLOOR COVERINGS CARPET TILES. (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	50	25,000	Mnfr Approved	Any
113	Linear Foot	30,000	BASE, COVE, RUBBER (INCLUDING CORNER & GUARDS) - VARIOUS LENGTHS, ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (MATERIAL ONLY) (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	1-40	420,000	Armstrong	Any Color

114	Linear Foot	6,000	TREADS, STAIR, METAL - 2 IN. X 4 IN., US 26D, EDGE NOSING , COLOR: CHROME (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	10	60,000	Mulgr Apparel	Any
115	Linear Foot	6,000	TREADS, STAIR, RUBBER - 2 IN. X 4 IN. EDGE NOSING, VARIOUS COLORS (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	10	60,000	Any	Any
116	Linear Foot	6,000	TREADS, STAIR, RISERS, RUBBER - 48" LENGTH X 3/16" THICKNESS, ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	10	60,000	Armstrong	Any
117	Linear Foot	6,000	TREADS, STAIR, RISERS, RUBBER - 72" LENGTH X 1/4" THICKNESS, ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	10	60,000	Armstrong	Any
118	Linear Foot	100,000	EDGING, VINYL - 1/8" X 1", ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	1-25	125,000	Armstrong	Any

119	Linear Foot	100,000	EDGING, VINYL - 1/8" X 1-1/2", ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	1-25	125,000	Armstrong	Any
120	Linear Foot	100,000	EDGING, VINYL - VINYL TILE EDGING 1/8" X 1", ARMSTRONG OR EQUIVALENT, STRIPS, VARIOUS COLORS (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	1-25	125,000	Armstrong	Any
121	Linear Foot	100,000	STRIPS, TRANSITION - VARIOUS WIDTHS, ARMSTRONG OR EQUIVALENT, HEAVY DUTY, VARIOUS COLORS (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	3	300,000	Armstrong	Any
122	Gallon	100,000	SEALER, FLOOR - CONCRETE FLOOR SEALER FOR USE PRIOR TO INSTALLATION OF FLOOR COVERING (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	35	350,000	Mnfr Approval	Mnfr Approval

123	Square Yard	500,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - DISPOSAL FEE FOR REMOVED FLOOR COVERING, PRICED PER SQUARE YARD. PRICE DOES NOT INCLUDE LABOR FOR THE ACTUAL REMOVAL OF FLOOR COVERING (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	5	2,500,000	Labor	Labor
124	Hour	18,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR INSTALLATION OF VARIOUS FLOOR COVERINGS, STRAIGHT TIME, MONDAY THROUGH FRIDAY 7 A.M. - 3:30 P.M. (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	70	1260,000	Labor	Labor
125	Hour	54,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES -LABOR REQUIRED FOR INSTALLATION OF VARIOUS FLOOR COVERINGS, OVERTIME, MONDAY THRU FRIDAY 3:31 P.M.- 6:59 A.M. AND	105	5670,000	Labor	Labor

			MONDAY THRU FRIDAY AFTER FIRST 8 HOURS WORKED IN A DAY & ALL DAY SATURDAY (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)				
126	Hour	10,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR INSTALLATION OF VARIOUS FLOOR COVERINGS, PREMIUM TIME, 12:00 A.M. - 11:59 P.M. SUNDAYS AND SPECIFIED HOLIDAYS (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	140	1400,000	Labour	Labour
127	Hour	18,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR REMOVAL OF VARIOUS FLOOR COVERINGS AND MOVING FURNITURE, STRAIGHT TIME, MONDAY THROUGH FRIDAY 7 A.M. - 3:30 P.M. (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	70	1260,000	Labour	Labour

128	Hour	54,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR REMOVAL OF VARIOUS FLOOR COVERINGS AND MOVING FURNITURE, OVERTIME, MON THRU FRI 3:31 PM - 6:59 AM AND MON THRU FRI AFTER FIRST 8 HOURS WORKED IN A DAY AND ALL DAY SAT (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	165	5670,000	Labor	Labor
129	Hour	10,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR REMOVAL OF VARIOUS FLOOR COVERINGS AND MOVING FURNITURE, PREMIUM TIME, 12:00 A.M. TO 11:59 P.M. SUNDAYS AND SPECIFIED HOLIDAYS (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	140	1400,000	Labor	Labor
130	Hour	18,000	FLOOR PREP & PATCH LABOR, REQUIRED FOR SURFACE PREPARATION TO ACCEPT NEW FLOOR COVERING,	67	120,6000	Labor	Labor

			STRAIGHT TIME, MONDAY THROUGH FRIDAY 7 A.M. - 3:30 P.M.(IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)				
131	Hour	54,000	FLOOR PREP & PATCH LABOR, REQUIRED FOR SURFACE PREPARATION TO ACCEPT NEW FLOOR COVERING, OVERTIME, MONDAY THRU FRIDAY 3:31 P.M.- 6:59 A.M. AND MONDAY THRU FRIDAY AFTER FIRST 8 HOURS WORKED IN A DAY & ALL DAY SATURDAY (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	101	5454000	Labour	Labour
132	Hour	10,000	FLOOR PREP & PATCH LABOR, REQUIRED FOR SURFACE PREPARATION TO ACCEPT NEW FLOOR COVERING, PREMIUM TIME, 12:00 A.M. - 11:59 P.M. SUNDAYS AND SPECIFIED HOLIDAYS (IN CONJUNCTION WITH GROUP C INSTALLATIONS ONLY)	134	1340000	Labour	Labour
<b>LOT D</b>							

133	Square Yard	10,000	CARPET TILES - 18" X 18" SQUARE, COLOR ACCENTS, MILIKEN, MODEL P2903 OR APPROVED EQUIVALENT, VARIOUS COLORS (MATERIAL ONLY)	28-21	282,100	Miliken	Color weave
134	Square Yard	10,000	CARPET TILES - 18" X 18" SQUARE, FIRST APPEARANCE, CLEAN SWEEP, MILIKEN, MODEL P4043 OR APPROVED EQUIVALENT, VARIOUS COLORS (MATERIAL ONLY)	52	520,000	Miliken	First Appearance
135	Square Yard	10,000	CARPET TILES - 18" X 18" SQUARE, MOVEMENTS, MILIKEN, MODEL P2178 OR APPROVED EQUIVALENT, VARIOUS COLORS (MATERIAL ONLY)	28-28	282,800	Miliken	Movements
136	Square Foot	500	CARPET, LOGO MATS - ROLLED MATTING, SQUARE EDGE, .33 IN. THICK WITH RUBBER BACK AND EDGING, POSITIVE IMPRESSIONS, MILIKEN OR APPROVED EQUIVALENT, VARIOUS COLORS (MATERIAL ONLY)	15-93	7965	Miliken	Logo Mats
137	Each	24	MATS, COMFORT - 3 FT. X 10 FT. (ANTI FATIGUE) MILLIKEN, MODEL: KEXTREME, STYLE: 608099 OR APPROVED	154-57	3709.68	Miliken	Mats Comfort

			EQUIVALENT (MATERIAL ONLY)				
138	Case	6	MATS, COMFORT - 3 FT. X 5 FT. (ANTI FATIGUE) MILLIKEN, MODEL: ULTRAFLOW OR APPROVED EQUIVALENT, 9 MATS PER CASE (MATERIAL ONLY)	650	3900	Milliken	3'x5' Ultraflow
139	Pail	6,000	ADHESIVE, WALL BASE - WALL BASE RISERS & VINYL TRANSITION STRIPS, MANUFACTURER APPROVED OR EQUIVALENT WALL BASE ADHESIVE. ADHESIVE TO BE COMPATIBLE WITH WALL BASE RISERS & VINYL TRANSITION STRIPS PROVIDED IN THIS CONTRACT UNDER OTHER LINE ITEMS, 4 GAL PAIL (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	50	300,000	Mfr Approved	Any
140	Linear Foot	30,000	WALL BASE, RUBBER - 2 1/2" X 48", ARMSTRONG OR APPROVED EQUIVALENT, COVERED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	0-65	19500	Armstrong	Any Color

141	Linear Foot	30,000	WALL BASE, RUBBER - 2 1/2" X 48", ARMSTRONG OR APPROVED EQUIVALENT, STRAIGHT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	0-65	19500	Armstrong	Any Color
142	Linear Foot	200,000	WALL BASE, RUBBER - 4" X 48", ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	0-76	140,000	Armstrong	Any Color
143	Linear Foot	200,000	WALL BASE, RUBBER - 4" X 48", ARMSTRONG OR APPROVED EQUIVALENT, STRAIGHT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	0-70	140,000	Armstrong	Any Color
144	Linear Foot	300,000	WALL BASE, RUBBER - 6" X 48", ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	1-30	390,000	Armstrong	Any Color
145	Linear Foot	30,000	WALL BASE, RUBBER - 6" X 48", ARMSTRONG OR APPROVED EQUIVALENT, STRAIGHT,	1-30	39000	Armstrong	Any Color

147,848634.68

			VARIOUS COLORS (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)				
146	Linear Foot	30,000	WALL BASE, RUBBER - 4" OUTSIDE CORNERS, ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	1.80	54,000	Armstrong	Any Color
147	Linear Foot	30,000	WALL BASE, RUBBER - 6" OUTSIDE CORNERS, ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	1.80	54,000	Armstrong	Any Color
148	Each	100,000	ADHESIVES, CARPETS - MANUFACTURER APPROVED OR EQUIVALENT FLOOR ADHESIVE (4 GALLON PAIL) (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	120	12,000,000	Manfr Approved	Any
149	Gallon	100,000	ADHESIVE, TRANSITION STRIPS AND STAIR TREADS, RUBBER - ADHESIVE FOR RUBBER TRANSITION STRIP (IN CONJUNCTION	3.5	350,000	Manfr Approved	Any

			WITH GROUP D INSTALLATIONS ONLY)				
150	Each	25,000	PATCH AND ACCESSORIES, FLOOR - FLOOR PATCH, 25 LB. BAGS, JIFF SET WITH LATEX ADDITIVE (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	25	625000	Jiff set	25 # Bag
151	Pail	100	ADHESIVES, CARPET - MANUFACTURER APPROVED OR EQUIVALENT ADHESIVE, 4 GAL/PAIL. (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	120	12000	Mnfr Approved	Any
152	Bottle	100	SEAM SEALER, SEAM WELDER, CARPET - SEAM SEALER, MANUFACTURER APPROVED OR EQUIVALENT CARPET SEAM SEALER, QUART/BOTTLE. (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	35	3500	Mnfr Approved	Any
153	Bottle	100	SEAM SEALER, SEAM WELDER, CARPET - SEAM SEALER, MANUFACTURER APPROVED OR EQUIVALENT SOLVENT FREE SEAM SEALER,	35	3500	Mnfr Approved	Any

			QUART/BOTTLE. (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)				
154	Bottle	100	SEAM SEALER, SEAM WELDER, CARPET - SEAM WELDER, MANUFACTURER APPROVED OR EQUIVALENT PT SEAM WELDER, PINT/BOTTLE.(IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	35	3500	Manfr Approved	Any
155	Pail	100	SEALER, FLOOR - MANUFACTURER APPROVED OR EQUIVALENT SURESEAL, 4 GAL/PAIL. (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	120	12000	Manfr Approved	Any
156	Pail	100	ADHESIVES, CARPET - MANUFACTURER APPROVED OR EQUIVALENT, UNIBOND SOLVENT FREE/WET SET RE ADHESIVE, 4 GAL/PAIL. (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	120	12000	Manfr Approved	Any

157	Pail	250	ADHESIVES, CARPET - MANUFACTURER APPROVED OR EQUIVALENT, FASTSET MULTI-PURPOSE ADHESIVE, 4 GAL/PAIL. (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	120	30,000	Mfrs Approved	Any
158	Gallon	500	ADHESIVES, CARPET - MANUFACTURER APPROVED OR EQUIVALENT, PRESSURE SENSITIVE ADHESIVE FOR USE WITH FLOOR COVERINGS CARPET TILES. (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	50	25,000	Mfrs Approved	Any
159	Linear Foot	30,000	BASE, COVE, RUBBER (INCLUDING CORNER & GUARDS) - VARIOUS LENGTHS, ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (MATERIAL ONLY) (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	1.40	420,000	Armstrong	Any
160	Linear Foot	6,000	TREADS, STAIR, METAL - 2 IN. X 4 IN., US 26D, EDGE NOSING, COLOR: CHROME (IN CONJUNCTION WITH GROUP D	10	60,000	Mfrs Approved	Any

			INSTALLATIONS ONLY)				
161	Linear Foot	6,000	TREADS, STAIR, RUBBER - 2 IN. X 4 IN. EDGE NOSING, VARIOUS COLORS (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	10	60,000	Any	Any
162	Linear Foot	6,000	TREADS, STAIR, RISERS, RUBBER - 48" LENGTH X 3/16" THICKNESS, ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	10	60,000	Any	Any
163	Linear Foot	6,000	TREADS, STAIR, RISERS, RUBBER - 72" LENGTH X 1/4" THICKNESS, ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	10	60,000	Any	Any
164	Linear Foot	100,000	EDGING, VINYL - 1/8" X 1", ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	1-25	125,000	Armstrong	Any
165	Linear Foot	100,000	EDGING, VINYL - 1/8" X 1-1/2", ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP D	1-25	125,000	Armstrong	Any

			INSTALLATIONS ONLY)				
166	Linear Foot	100,000	EDGING, VINYL - VINYL TILE EDGING 1/8" X 1", ARMSTRONG OR EQUIVALENT, STRIPS, VARIOUS COLORS (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	1.25	125000	Armstrong	Any
167	Linear Foot	100,000	STRIPS, TRANSITION - VARIOUS WIDTHS, ARMSTRONG OR EQUIVALENT, HEAVY DUTY, VARIOUS COLORS (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	3	300,000	Armstrong	Any
168	Gallon	100,000	SEALER, FLOOR - CONCRETE FLOOR SEALER FOR USE PRIOR TO INSTALLATION OF FLOOR COVERING (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	35	3500,000	Mnfr Approved	Mnfr Approved
169	Square Yard	500,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - DISPOSAL FEE FOR REMOVED FLOOR COVERING, PRICED PER SQUARE YARD. PRICE DOES NOT INCLUDE LABOR	5	2500,000	Labor	Labor

			FOR THE ACTUAL REMOVAL OF FLOOR COVERING (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)				
170	Hour	18,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR INSTALLATION OF VARIOUS FLOOR COVERINGS, STRAIGHT TIME, MONDAY THROUGH FRIDAY 7 A.M. - 3:30 P.M. (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	70	1260,000	Labour	Labour
171	Hour	54,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR INSTALLATION OF VARIOUS FLOOR COVERINGS, OVERTIME, MONDAY THRU FRIDAY 3:31 P.M.- 6:59 A.M. AND MONDAY THRU FRIDAY AFTER FIRST 8 HOURS WORKED IN A DAY & ALL DAY SATURDAY (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	105	5670,000	Labour	Labour

172	Hour	10,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR INSTALLATION OF VARIOUS FLOOR COVERINGS, PREMIUM TIME, 12:00 A.M. - 11:59 P.M. SUNDAYS AND SPECIFIED HOLIDAYS (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	140	1400,000	Labor	Labor
173	Hour	18,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR REMOVAL OF VARIOUS FLOOR COVERINGS AND MOVING FURNITURE, STRAIGHT TIME, MONDAY THROUGH FRIDAY 7 A.M. - 3:30 P.M. (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	70	1260,000	Labor	Labor
174	Hour	54,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR REMOVAL OF VARIOUS FLOOR COVERINGS AND MOVING FURNITURE, OVERTIME, MON THRU FRI 3:31 PM -	105	5670,000	Labor	Labor

			6:59 AM AND MON THRU FRI AFTER FIRST 8 HOURS WORKED IN A DAY AND ALL DAY SAT (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)				
175	Hour	10,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR REMOVAL OF VARIOUS FLOOR COVERINGS AND MOVING FURNITURE, PREMIUM TIME, 12:00 A.M. TO 11:59 P.M. SUNDAYS AND SPECIFIED HOLIDAYS (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	140	1400,000	Labor	Labor
176	Hour	18,000	FLOOR PREP & PATCH LABOR, REQUIRED FOR SURFACE PREPARATION TO ACCEPT NEW FLOOR COVERING, STRAIGHT TIME, MONDAY THROUGH FRIDAY 7 A.M. - 3:30 P.M. (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	67	120,6000	Labor	Labor

177	Hour	54,000	FLOOR PREP & PATCH LABOR, REQUIRED FOR SURFACE PREPARATION TO ACCEPT NEW FLOOR COVERING, OVERTIME, MONDAY THRU FRIDAY 3:31 P.M.- 6:59 A.M. AND MONDAY THRU FRIDAY AFTER FIRST 8 HOURS WORKED IN A DAY & ALL DAY SATURDAY (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	101	5454000	Labor	Labor
178	Hour	10,000	FLOOR PREP & PATCH LABOR, REQUIRED FOR SURFACE PREPARATION TO ACCEPT NEW FLOOR COVERING, PREMIUM TIME, 12:00 A.M. - 11:59 P.M. SUNDAYS AND SPECIFIED HOLIDAYS (IN CONJUNCTION WITH GROUP D INSTALLATIONS ONLY)	134	1340000		
<b>LOT E</b>							
177	Square Yard	5,000	TILES, CARPET - 18 IN. X 18 IN. SQUARE, MFR: C & A FLOOR COVERINGS, VARIOUS COLORS, STYLE NUMBER 02268 OR APPROVED	39-26	198300	C&A	02268

			EQUIVALENT, VARIOUS COLORS (MATERIAL ONLY)				
178	Pail	6,000	ADHESIVE, WALL BASE - WALL BASE RISERS & VINYL TRANSITION STRIPS, MANUFACTURER APPROVED OR EQUIVALENT WALL BASE ADHESIVE. ADHESIVE TO BE COMPATIBLE WITH WALL BASE RISERS & VINYL TRANSITION STRIPS PROVIDED IN THIS CONTRACT UNDER OTHER LINE ITEMS, 4 GAL PAIL (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	50	300,000	Mfr Approved	Any
179	Linear Foot	30,000	WALL BASE, RUBBER - 2 1/2" X 48", ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	0.65	19500	Armstrong	Any Color
180	Linear Foot	30,000	WALL BASE, RUBBER - 2 1/2" X 48", ARMSTRONG OR APPROVED EQUIVALENT, STRAIGHT, VARIOUS COLORS (IN CONJUNCTION	0.65	19500	Armstrong	Any

			WITH GROUP E INSTALLATIONS ONLY)				
181	Linear Foot	200,000	WALL BASE, RUBBER - 4" X 48", ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	0.70	140,000	Armstrong	Any color
182	Linear Foot	200,000	WALL BASE, RUBBER - 4" X 48", ARMSTRONG OR APPROVED EQUIVALENT, STRAIGHT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	0.70	140,000	Armstrong	Any color
183	Linear Foot	300,000	WALL BASE, RUBBER - 6" X 48", ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	1.30	390,000	Armstrong	Any color
184	Linear Foot	30,000	WALL BASE, RUBBER - 6" X 48", ARMSTRONG OR APPROVED EQUIVALENT, STRAIGHT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	1.30	39,000	Armstrong	Any color

196,992,434-60

185	Linear Foot	30,000	WALL BASE, RUBBER - 4" OUTSIDE CORNERS, ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	1.80	54000	Armstrong	Any Color
186	Linear Foot	30,000	WALL BASE, RUBBER - 6" OUTSIDE CORNERS, ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	1.80	54000	Armstrong	Any Color
187	Each	100,000	ADHESIVES, CARPETS - MANUFACTURER APPROVED OR EQUIVALENT FLOOR ADHESIVE (4 GALLON PAIL) (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	1.20	12000,000	Manfr Approved	Any
188	Gallon	100,000	ADHESIVE, TRANSITION STRIPS AND STAIR TREADS, RUBBER - ADHESIVE FOR RUBBER TRANSITION STRIP (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	35	3500,000	Manfr Approved	Any

189	Each	25,000	PATCH AND ACCESSORIES, FLOOR - FLOOR PATCH, 25 LB. BAGS, JIFF SET WITH LATEX ADDITIVE (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	25	625000	Andex or Jiffset	25 <del>50</del> Bags
190	Pail	100	ADHESIVES, CARPET - MANUFACTURER APPROVED OR EQUIVALENT ADHESIVE, 4 GAL/PAIL. (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	120	12000	Mnfr Approval	Any
191	Bottle	100	SEAM SEALER, SEAM WELDER, CARPET - SEAM SEALER, MANUFACTURER APPROVED OR EQUIVALENT CARPET SEAM SEALER, QUART/BOTTLE. (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	35	3500	Mnfr Approval	Any
192	Bottle	100	SEAM SEALER, SEAM WELDER, CARPET - SEAM SEALER, MANUFACTURER APPROVED OR EQUIVALENT SOLVENT FREE SEAM SEALER, QUART/BOTTLE. (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	35	3500	Mnfr Approval	Any

193	Bottle	100	SEAM SEALER, SEAM WELDER, CARPET - SEAM WELDER, MANUFACTURER APPROVED OR EQUIVALENT PT SEAM WELDER, PINT/BOTTLE. (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	35	3500	Mnfr Approval	Any
194	Pail	100	SEALER, FLOOR - MANUFACTURER APPROVED OR EQUIVALENT SURESEAL, 4 GAL/PAIL. (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	120	12000	Mnfr Approval	Any
195	Pail	100	ADHESIVES, CARPET - MANUFACTURER APPROVED OR EQUIVALENT, UNIBOND SOLVENT FREE/WET SET RE ADHESIVE, 4 GAL/PAIL. (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	120	12000	Mnfr Approval	Any
196	Pail	250	ADHESIVES, CARPET - MANUFACTURER APPROVED OR EQUIVALENT, FASTSET MULTI-PURPOSE ADHESIVE, 4 GAL/PAIL. (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	120	30,000	Mnfr Approval	Any

197	Gallon	500	ADHESIVES, CARPET - C & A FLOOR COVERINGS, MODEL C14E, PRESSURE SENSITIVE ADHESIVE FOR USE WITH C & A FLOORCOVERING S CARPET TILES	60	30,000	Mfr Approval	Any
198	Linear Foot	30,000	BASE, COVE, RUBBER (INCLUDING CORNER & GUARDS) - VARIOUS LENGTHS, ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (MATERIAL ONLY) (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	1-40	420,000	Armstrong	Any
199	Linear Foot	6,000	TREADS, STAIR, METAL - 2 IN. X 4 IN., US 26D, EDGE NOSING , COLOR: CHROME (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	10	60,000	Mfr Approval	Any
200	Linear Foot	6,000	TREADS, STAIR, RUBBER - 2 IN. X 4 IN. EDGE NOSING, VARIOUS COLORS (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	10	60,000	Mfr Approval	Any
201	Linear Foot	6,000	TREADS, STAIR, RISERS, RUBBER - 48" LENGTH X 3/16" THICKNESS, ARMSTRONG OR EQUIVALENT, VARIOUS COLORS	10	60,000	Mfr Approval	Any

			(IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)				
202	Linear Foot	6,000	TREADS, STAIR, RISERS, RUBBER - 72" LENGTH X 1/4" THICKNESS, ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	10	60,000	Armstrong	Any Color
203	Linear Foot	100,000	EDGING, VINYL - 1/8" X 1", ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	1-25	125000	Armstrong	Any Color
204	Linear Foot	100,000	EDGING, VINYL - 1/8" X 1-1/2", ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	1-25	125000	Armstrong	Any Color
205	Linear Foot	100,000	EDGING, VINYL - VINYL TILE EDGING 1/8" X 1", ARMSTRONG OR EQUIVALENT, STRIPS, VARIOUS COLORS (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	1-25	125000	Mufc Approved	Mufc Approved

206	Linear Foot	100,000	STRIPS, TRANSITION - VARIOUS WIDTHS, ARMSTRONG OR EQUIVALENT, HEAVY DUTY, VARIOUS COLORS (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	3	300,000	Armstrong	Any Color
207	Gallon	100,000	SEALER, FLOOR - CONCRETE FLOOR SEALER FOR USE PRIOR TO INSTALLATION OF FLOOR COVERING (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	35	3500,000	Murf Approved	Murf Approved
208	Square Yard	500,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - DISPOSAL FEE FOR REMOVED FLOOR COVERING, PRICED PER SQUARE YARD. PRICE DOES NOT INCLUDE LABOR FOR THE ACTUAL REMOVAL OF FLOOR COVERING (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	5	2500,000	Labor	Labor

209	Hour	18,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR INSTALLATION OF VARIOUS FLOOR COVERINGS, STRAIGHT TIME, MONDAY THROUGH FRIDAY 7 A.M. - 3:30 P.M. (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	70	1260,000	Labor	Labor
210	Hour	54,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES -LABOR REQUIRED FOR INSTALLATION OF VARIOUS FLOOR COVERINGS, OVERTIME, MONDAY THRU FRIDAY 3:31 P.M.- 6:59 A.M. AND MONDAY THRU FRIDAY AFTER FIRST 8 HOURS WORKED IN A DAY & ALL DAY SATURDAY (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	105	5670,000	Labor	Labor
211	Hour	10,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR INSTALLATION OF VARIOUS FLOOR COVERINGS, PREMIUM TIME,	140	1400,000	Labor	Labor

			12:00 A.M. - 11:59 P.M. SUNDAYS AND SPECIFIED HOLIDAYS (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)				
212	Hour	18,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR REMOVAL OF VARIOUS FLOOR COVERINGS AND MOVING FURNITURE, STRAIGHT TIME, MONDAY THROUGH FRIDAY 7 A.M. - 3:30 P.M. (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	70	1260,000	Labour	Labour
213	Hour	54,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR REMOVAL OF VARIOUS FLOOR COVERINGS AND MOVING FURNITURE, OVERTIME, MON THRU FRI 3:31 PM - 6:59 AM AND MON THRU FRI AFTER FIRST 8 HOURS WORKED IN A DAY AND ALL DAY SAT (IN CONJUNCTION WITH GROUP E INSTALLATIONS)	105	5670,000	Labour	Labour

			ONLY)				
214	Hour	10,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR REMOVAL OF VARIOUS FLOOR COVERINGS AND MOVING FURNITURE, PREMIUM TIME, 12:00 A.M. TO 11:59 P.M. SUNDAYS AND SPECIFIED HOLIDAYS (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	140	1400,000	Labour	Labour
215	Hour	18,000	FLOOR PREP & PATCH LABOR, REQUIRED FOR SURFACE PREPARATION TO ACCEPT NEW FLOOR COVERING, STRAIGHT TIME, MONDAY THROUGH FRIDAY 7 A.M. - 3:30 P.M. (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	67	1206000	Labour	Labour

216	Hour	54,000	FLOOR PREP & PATCH LABOR, REQUIRED FOR SURFACE PREPARATION TO ACCEPT NEW FLOOR COVERING, OVERTIME, MONDAY THRU FRIDAY 3:31 P.M.- 6:59 A.M. AND MONDAY THRU FRIDAY AFTER FIRST 8 HOURS WORKED IN A DAY & ALL DAY SATURDAY (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	105	5670 <sup>600</sup>	Labior	Labior
217	Hour	10,000	FLOOR PREP & PATCH LABOR, REQUIRED FOR SURFACE PREPARATION TO ACCEPT NEW FLOOR COVERING, PREMIUM TIME, 12:00 A.M. - 11:59 P.M. SUNDAYS AND SPECIFIED HOLIDAYS (IN CONJUNCTION WITH GROUP E INSTALLATIONS ONLY)	140	1400,000	Labior	Labior
<b>LOT F</b>							
218	Square Yard	10,000	CARPET TILES - 24" X 24" SQUARE, MFR: BIGELOW, ARTIST OR APPROVED EQUIVALENT, VARIOUS COLORS (MATERIAL ONLY)	21-1/4	211,400	Bigelow	Artist

219	Pail	6,000	ADHESIVE, WALL BASE - WALL BASE RISERS & VINYL TRANSITION STRIPS, MANUFACTURER APPROVED OR EQUIVALENT WALL BASE ADHESIVE. ADHESIVE TO BE COMPATIBLE WITH WALL BASE RISERS & VINYL TRANSITION STRIPS PROVIDED IN THIS CONTRACT UNDER OTHER LINE ITEMS, 4 GAL PAIL (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	50	300,000	Mnfr Approval	Any
220	Linear Foot	30,000	WALL BASE, RUBBER - 2 1/2" X 48", ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	0.65	19500	Armstrong	Any Color
221	Linear Foot	30,000	WALL BASE, RUBBER - 2 1/2" X 48", ARMSTRONG OR APPROVED EQUIVALENT, STRAIGHT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	0.65	19500	Armstrong	Any Color

222	Linear Foot	200,000	WALL BASE, RUBBER - 4" X 48", ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	0.70	140,000	Armstrong	Any Color
223	Linear Foot	200,000	WALL BASE, RUBBER - 4" X 48", ARMSTRONG OR APPROVED EQUIVALENT, STRAIGHT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	0.70	140,000	Armstrong	Any Color
224	Linear Foot	300,000	WALL BASE, RUBBER - 6" X 48", ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	1.30	390,000	Armstrong	Any Color
225	Linear Foot	30,000	WALL BASE, RUBBER - 6" X 48", ARMSTRONG OR APPROVED EQUIVALENT, STRAIGHT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	1.30	39,000	Armstrong	Any Color
226	Linear Foot	30,000	WALL BASE, RUBBER - 4" OUTSIDE CORNERS, ARMSTRONG OR APPROVED	1.80	54,000	Armstrong	Any Color

357,306,334-68

			EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)				
227	Linear Foot	30,000	WALL BASE, RUBBER - 6" OUTSIDE CORNERS, ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	1-80	54000	Armstrong	Any
228	Each	100,000	ADHESIVES, CARPETS - MANUFACTURER APPROVED OR EQUIVALENT FLOOR ADHESIVE (4 GALLON PAIL) (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	120	12000,000	Manfr Approved	Any
229	Gallon	100,000	ADHESIVE, TRANSITION STRIPS AND STAIR TREADS, RUBBER - ADHESIVE FOR RUBBER TRANSITION STRIP (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	35	3500,000	Manfr Approved	Any
230	Each	25,000	PATCH AND ACCESSORIES, FLOOR - FLOOR PATCH, 25 LB. BAGS, JIFF SET WITH LATEX ADDITIVE (IN CONJUNCTION	25	625000	Manfr Approved	Any

			WITH GROUP F INSTALLATIONS ONLY)				
231	Pail	100	ADHESIVES, CARPET - MANUFACTURER APPROVED OR EQUIVALENT ADHESIVE, 4 GAL/PAIL. (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	120	12 <del>000</del>	Manfr Approval	Any
232	Bottle	100	SEAM SEALER, SEAM WELDER, CARPET - SEAM SEALER, MANUFACTURER APPROVED OR EQUIVALENT CARPET SEAM SEALER, QUART/BOTTLE. (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	35	35 <del>00</del>	Manfr Approval	Any
233	Bottle	100	SEAM SEALER, SEAM WELDER, CARPET - SEAM SEALER, MANUFACTURER APPROVED OR EQUIVALENT SOLVENT FREE SEAM SEALER, QUART/BOTTLE. (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	35	35 <del>00</del>	Manfr Approval	Any

234	Bottle	100	SEAM SEALER, SEAM WELDER, CARPET - SEAM WELDER, MANUFACTURER APPROVED OR EQUIVALENT PT SEAM WELDER, PINT/BOTTLE. (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	35	3500	Manufacturer Approval	Any
235	Pail	100	SEALER, FLOOR - MANUFACTURER APPROVED OR EQUIVALENT SURESEAL, 4 GAL/PAIL. (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	120	12000	Manufacturer Approval	Any
236	Pail	100	ADHESIVES, CARPET - MANUFACTURER APPROVED OR EQUIVALENT, UNIBOND SOLVENT FREE/WET SET RE ADHESIVE, 4 GAL/PAIL. (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	120	12000	Manufacturer Approval	Any
237	Pail	250	ADHESIVES, CARPET - MANUFACTURER APPROVED OR EQUIVALENT, FASTSET MULTI-PURPOSE ADHESIVE, 4 GAL/PAIL. (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	120	30,000	Manufacturer Approval	Any

238	Gallon	500	ADHESIVES, CARPET - MANUFACTURER APPROVED OR EQUIVALENT, PRESSURE SENSITIVE ADHESIVE FOR USE WITH FLOOR COVERINGS CARPET TILES. (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	60	30,000	Mudra Approved	By
239	Linear Foot	30,000	BASE, COVE, RUBBER (INCLUDING CORNER & GUARDS) - VARIOUS LENGTHS, ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (MATERIAL ONLY) (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	1-40	420,000	Armstrong	By
240	Linear Foot	6,000	TREADS, STAIR, METAL - 2 IN. X 4 IN., US 26D, EDGE NOSING, COLOR: CHROME (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	10	60,000	Mudra Approved	By
241	Linear Foot	6,000	TREADS, STAIR, RUBBER - 2 IN. X 4 IN. EDGE NOSING, VARIOUS COLORS (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	10	60,000	Mudra Approved	By

242	Linear Foot	6,000	TREADS, STAIR, RISERS, RUBBER - 48" LENGTH X 3/16" THICKNESS, ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	10	60,000	Armstrong	Any Color
243	Linear Foot	6,000	TREADS, STAIR, RISERS, RUBBER - 72" LENGTH X 1/4" THICKNESS, ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	10	60,000	Armstrong	Any Color
244	Linear Foot	100,000	EDGING, VINYL - 1/8" X 1", ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	3	300,000	Armstrong	Any
245	Linear Foot	100,000	EDGING, VINYL - 1/8" X 1-1/2", ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	35	3500,000	Mfrs Approval	Mfrs Approved
246	Linear Foot	100,000	EDGING, VINYL - VINYL TILE EDGING 1/8" X 1", ARMSTRONG OR EQUIVALENT, STRIPS, VARIOUS COLORS (IN CONJUNCTION WITH GROUP F INSTALLATIONS)	5	2500,000	Labar	Labar

			ONLY)				
247	Linear Foot	100,000	STRIPS, TRANSITION - VARIOUS WIDTHS, ARMSTRONG OR EQUIVALENT, HEAVY DUTY, VARIOUS COLORS (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	3	300,000	Armstrong	Any Color
248	Gallon	100,000	SEALER, FLOOR - CONCRETE FLOOR SEALER FOR USE PRIOR TO INSTALLATION OF FLOOR COVERING (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	35	3500,000	Mufco Appraisal	Mufco Appraised
249	Square Yard	500,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - DISPOSAL FEE FOR REMOVED FLOOR COVERING, PRICED PER SQUARE YARD. PRICE DOES NOT INCLUDE LABOR FOR THE ACTUAL REMOVAL OF FLOOR COVERING (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	5	2500,000	Labor	Labor

250	Hour	18,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR INSTALLATION OF VARIOUS FLOOR COVERINGS, STRAIGHT TIME, MONDAY THROUGH FRIDAY 7 A.M. - 3:30 P.M. (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	70	12607000	Labor	Labor
251	Hour	54,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES -LABOR REQUIRED FOR INSTALLATION OF VARIOUS FLOOR COVERINGS, OVERTIME, MONDAY THRU FRIDAY 3:31 P.M.- 6:59 A.M. AND MONDAY THRU FRIDAY AFTER FIRST 8 HOURS WORKED IN A DAY & ALL DAY SATURDAY (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	105	56707000	Labor	Labor
252	Hour	10,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR INSTALLATION OF VARIOUS FLOOR COVERINGS, PREMIUM TIME,	140	14003600	Labor	Labor

			12:00 A.M. - 11:59 P.M. SUNDAYS AND SPECIFIED HOLIDAYS (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)				
253	Hour	18,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR REMOVAL OF VARIOUS FLOOR COVERINGS AND MOVING FURNITURE, STRAIGHT TIME, MONDAY THROUGH FRIDAY 7 A.M. - 3:30 P.M. (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	67	1206,000	Labour	Labour
254	Hour	54,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR REMOVAL OF VARIOUS FLOOR COVERINGS AND MOVING FURNITURE, OVERTIME, MON THRU FRI 3:31 PM - 6:59 AM AND MON THRU FRI AFTER FIRST 8 HOURS WORKED IN A DAY AND ALL DAY SAT (IN CONJUNCTION WITH GROUP F INSTALLATIONS)	105	5676,000	Labour	Labour

			ONLY)				
255	Hour	10,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR REMOVAL OF VARIOUS FLOOR COVERINGS AND MOVING FURNITURE, PREMIUM TIME, 12:00 A.M. TO 11:59 P.M. SUNDAYS AND SPECIFIED HOLIDAYS (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	140	1400,000	Labor	Labor
256	Hour	18,000	FLOOR PREP & PATCH LABOR, REQUIRED FOR SURFACE PREPARATION TO ACCEPT NEW FLOOR COVERING, STRAIGHT TIME, MONDAY THROUGH FRIDAY 7 A.M. - 3:30 P.M.(IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	67	1206,000	Labor	Labor

257	Hour	54,000	FLOOR PREP & PATCH LABOR, REQUIRED FOR SURFACE PREPARATION TO ACCEPT NEW FLOOR COVERING, OVERTIME, MONDAY THRU FRIDAY 3:31 P.M.- 6:59 A.M. AND MONDAY THRU FRIDAY AFTER FIRST 8 HOURS WORKED IN A DAY & ALL DAY SATURDAY (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	105	5679,000	Labor	Labor
258	Hour	10,000	FLOOR PREP & PATCH LABOR, REQUIRED FOR SURFACE PREPARATION TO ACCEPT NEW FLOOR COVERING, PREMIUM TIME, 12:00 A.M. - 11:59 P.M. SUNDAYS AND SPECIFIED HOLIDAYS (IN CONJUNCTION WITH GROUP F INSTALLATIONS ONLY)	140	1409,000	Labor	Labor
<b>LOT G</b>							
259	Square Yard	54,000	CARPET TILES - 19.69" X 19.69" SQUARE, MFR: INTERFACEFLOR, CUBIC, STYLE NUMBER 1380102500, VARIOUS COLORS, OR APPROVED	24-50	1323,000	Interface Cubic	

			EQUIVALENT (MATERIAL ONLY)				
260	Square Yard	54,000	CARPET TILES - 19.69" X 19.69" SQUARE, MFR: INTERFACEFLOR, WIND II, STYLE NUMBER 1467002500, VARIOUS COLORS, OR APPROVED EQUIVALENT (MATERIAL ONLY)	25	625,000	Interface	Wind II
261	Square Yard	54,000	CARPET TILES - 19.69" X 19.69" SQUARE, MFR: INTERFACEFLOR, ENTROPY RE, STYLE NUMBER 146480250H, VARIOUS COLORS, OR APPROVED EQUIVALENT (MATERIAL ONLY)	26-91	1453,140	Interface	Entropy RE
262	Square Yard	54,000	CARPET TILES - 19.69" X 19.69" SQUARE, MFR: INTERFACEFLOR, HAPPENING, STYLE NUMBER 1463202500, VARIOUS COLORS, OR APPROVED EQUIVALENT (MATERIAL ONLY)	26-91	1453,140	Interface	Happening
263	Square Yard	54,000	CARPET TILES - 19.69" X 19.69" SQUARE, MFR: INTERFACEFLOR, THE STANDARD, STYLE NUMBER 1467302500, VARIOUS COLORS, OR APPROVED EQUIVALENT (MATERIAL ONLY)	26-91	1453,140	Interface	The Standard

264	Pail	6,000	ADHESIVE, WALL BASE - WALL BASE RISERS & VINYL TRANSITION STRIPS, MANUFACTURER APPROVED OR EQUIVALENT WALL BASE ADHESIVE. ADHESIVE TO BE COMPATIBLE WITH WALL BASE RISERS & VINYL TRANSITION STRIPS PROVIDED IN THIS CONTRACT UNDER OTHER LINE ITEMS, 4 GAL PAIL (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	50	300,000	Mnfr Approval	Any
265	Linear Foot	30,000	WALL BASE, RUBBER - 2 1/2" X 48", ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	0-65	19500	Armstrong	Any Color
266	Linear Foot	30,000	WALL BASE, RUBBER - 2 1/2" X 48", ARMSTRONG OR APPROVED EQUIVALENT, STRAIGHT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	0-65	19500	Armstrong	Any Color

267	Linear Foot	200,000	WALL BASE, RUBBER - 4" X 48", ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	0-70	140,000	Armstrong	Any Color
268	Linear Foot	200,000	WALL BASE, RUBBER - 4" X 48", ARMSTRONG OR APPROVED EQUIVALENT, STRAIGHT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	0-70	140,000	Armstrong	Any Color
269	Linear Foot	300,000	WALL BASE, RUBBER - 6" X 48", ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	1-30	390,000	Armstrong	Any Color
270	Linear Foot	30,000	WALL BASE, RUBBER - 6" X 48", ARMSTRONG OR APPROVED EQUIVALENT, STRAIGHT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	1-30	39,000	Armstrong	Any Color
271	Linear Foot	30,000	WALL BASE, RUBBER - 4" OUTSIDE CORNERS, ARMSTRONG OR APPROVED	1-80	54,000	Armstrong	Any Color

			EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)				
272	Linear Foot	30,000	WALL BASE, RUBBER - 6" OUTSIDE CORNERS, ARMSTRONG OR APPROVED EQUIVALENT, COVED, VARIOUS COLORS (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	1-30	39000	Armstrong	Any color
273	Each	100,000	ADHESIVES, CARPETS - MANUFACTURER APPROVED OR EQUIVALENT FLOOR ADHESIVE (4 GALLON PAIL) (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	120	12000,000	Armstrong	Any color
274	Gallon	100,000	ADHESIVE, TRANSITION STRIPS AND STAIR TREADS, RUBBER - ADHESIVE FOR RUBBER TRANSITION STRIP (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	35	3500,000	Mfrs Approval	Any color
275	Each	25,000	PATCH AND ACCESSORIES, FLOOR - FLOOR PATCH, 25 LB. BAGS, JIFF SET WITH LATEX ADDITIVE (IN CONJUNCTION	25	625000	Mfrs Approval	Any

			WITH GROUP G INSTALLATIONS ONLY)				
276	Pail	100	ADHESIVES, CARPET - MANUFACTURER APPROVED OR EQUIVALENT ADHESIVE, 4 GAL/PAIL. (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	120	12000	Mfrs Approved	Any
277	Bottle	100	SEAM SEALER, SEAM WELDER, CARPET - SEAM SEALER, MANUFACTURER APPROVED OR EQUIVALENT CARPET SEAM SEALER, QUART/BOTTLE. (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	35	3500	Mfrs Approved	Any
278	Bottle	100	SEAM SEALER, SEAM WELDER, CARPET - SEAM SEALER, MANUFACTURER APPROVED OR EQUIVALENT SOLVENT FREE SEAM SEALER, QUART/BOTTLE. (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	35	3500	Mfrs Approved	Any

279	Bottle	100	SEAM SEALER, SEAM WELDER, CARPET - SEAM WELDER, MANUFACTURER APPROVED OR EQUIVALENT PT SEAM WELDER, PINT/BOTTLE. (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	35	3500	Mnfr Approved	Any
280	Pail	100	SEALER, FLOOR - MANUFACTURER APPROVED OR EQUIVALENT SURESEAL, 4 GAL/PAIL. (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	120	12000	Mnfr Approved	Any
281	Pail	100	ADHESIVES, CARPET - MANUFACTURER APPROVED OR EQUIVALENT, UNIBOND SOLVENT FREE/WET SET RE ADHESIVE, 4 GAL/PAIL. (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	120	12000	Mnfr Approved	Any
282	Pail	250	ADHESIVES, CARPET - MANUFACTURER APPROVED OR EQUIVALENT, FASTSET MULTI-PURPOSE ADHESIVE, 4 GAL/PAIL. (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	120	30,000	Mnfr Approved	Any

283	Gallon	500	ADHESIVES, CARPET - MANUFACTURER APPROVED OR EQUIVALENT, PRESSURE SENSITIVE ADHESIVE FOR USE WITH FLOOR COVERINGS CARPET TILES. (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	66	36,000	Armstrong Approved	Any
284	Linear Foot	30,000	BASE, COVE, RUBBER (INCLUDING CORNER & GUARDS) - VARIOUS LENGTHS, ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (MATERIAL ONLY) (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	1.40	420,600	Armstrong	Any
285	Linear Foot	6,000	TREADS, STAIR, METAL - 2 IN. X 4 IN., US 26D, EDGE NOSING, COLOR: CHROME (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	16	69,000	Armstrong	Any
286	Linear Foot	6,000	TREADS, STAIR, RUBBER - 2 IN. X 4 IN. EDGE NOSING, VARIOUS COLORS (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	10	60,000	Any	Any

287	Linear Foot	6,000	TREADS, STAIR, RISERS, RUBBER - 48" LENGTH X 3/16" THICKNESS, ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	10	60,000	Any	Any
288	Linear Foot	6,000	TREADS, STAIR, RISERS, RUBBER - 72" LENGTH X 1/4" THICKNESS, ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	10	60,000	Any	Any
289	Linear Foot	100,000	EDGING, VINYL - 1/8" X 1", ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	1.30	130,000	Any	Any
290	Linear Foot	100,000	EDGING, VINYL - 1/8" X 1-1/2", ARMSTRONG OR EQUIVALENT, VARIOUS COLORS (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	1.30	130,000	Any	Any
291	Linear Foot	100,000	EDGING, VINYL - VINYL TILE EDGING 1/8" X 1", ARMSTRONG OR EQUIVALENT, STRIPS, VARIOUS COLORS (IN CONJUNCTION WITH GROUP G INSTALLATIONS)	1.30	130,000	Any	Any

			ONLY)				
292	Linear Foot	100,000	STRIPS, TRANSITION - VARIOUS WIDTHS, ARMSTRONG OR EQUIVALENT, HEAVY DUTY, VARIOUS COLORS (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	3	300,000	Armstrong	Any color
293	Gallon	100,000	SEALER, FLOOR - CONCRETE FLOOR SEALER FOR USE PRIOR TO INSTALLATION OF FLOOR COVERING (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	35	3500,000	Mnfr Apprad	Any color
294	Square Yard	500,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - DISPOSAL FEE FOR REMOVED FLOOR COVERING, PRICED PER SQUARE YARD. PRICE DOES NOT INCLUDE LABOR FOR THE ACTUAL REMOVAL OF FLOOR COVERING (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	5	2509,000	Labor	Labor

295	Hour	18,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR INSTALLATION OF VARIOUS FLOOR COVERINGS, STRAIGHT TIME, MONDAY THROUGH FRIDAY 7 A.M. - 3:30 P.M. (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	70	1260,000	Labor	Labor
296	Hour	54,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR INSTALLATION OF VARIOUS FLOOR COVERINGS, OVERTIME, MONDAY THRU FRIDAY 3:31 P.M.- 6:59 A.M. AND MONDAY THRU FRIDAY AFTER FIRST 8 HOURS WORKED IN A DAY & ALL DAY SATURDAY (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	105	5670,000	Labor	Labor
297	Hour	10,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR INSTALLATION OF VARIOUS FLOOR COVERINGS, PREMIUM TIME,	140	1400,000	Labor	Labor

			12:00 A.M. - 11:59 P.M. SUNDAYS AND SPECIFIED HOLIDAYS (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)				
298	Hour	18,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR REMOVAL OF VARIOUS FLOOR COVERINGS AND MOVING FURNITURE, STRAIGHT TIME, MONDAY THROUGH FRIDAY 7 A.M. - 3:30 P.M. (IN CONJUNCTION WITH GROUP G INSTALLATIONS ONLY)	70	1260000	Labor	Labor
299	Hour	54,000	FLOOR COVERING AND BASE INSTALLATION AND/OR REMOVAL SERVICES - LABOR REQUIRED FOR REMOVAL OF VARIOUS FLOOR COVERINGS AND MOVING FURNITURE, OVERTIME, MON THRU FRI 3:31 PM - 6:59 AM AND MON THRU FRI AFTER FIRST 8 HOURS WORKED IN A DAY AND ALL DAY SAT (IN CONJUNCTION WITH GROUP G INSTALLATIONS)	105	5670000	Labor	Labor